BASKETBALL

PORTER®

THE 2017 EQUIPMENT COLLECTION

PORTERATHLETIC.COM

2017 BASKETBALL EQUIPMENT COLLECTION

To reach our excellent customer service
For questions, quotes, and order requests:
[888] 277.7778 | SALES@PORTERATHLETIC.COM

For more information browse our website...
www.porterathletic.com
...or discover our blog:
www.blog.porterathletic.com

ALWAYS INNOVATIVE.

Over the past 149 years, one company has been consistently recognized in the athletic equipment industry – Porter.® Over the years, countless new products and solutions have been delivered to market. While other suppliers have come and gone, Porter is still the industry leader. Our culture has always been and will continue to be built around innovation. Unlike invention, innovation is a continuous process that leads to new ideas, products, and ultimately greater value for the customer.

ALWAYS QUALITY.

Manufacturing quality products is a goal that we strive for everyday. For generations we've committed ourselves to building equipment that lasts. Through our commitment to quality products, we've built-in the highest durability and supreme functionality, as well as many advances in user safety. Beyond manufacturing a quality product, we've also built a quality customer service and support team dedicated to helping you reach your goal.

ALWAYS PORTER.

Porter is committed to serving our customers at an industry-leading level. Our superior technical capabilities, coupled with our dedicated passion for sport, consistently allow us to deliver quality products and services. Our team of engineers, architects, and industry experts continuously push to create the highest performing equipment available. We serve our customers by providing athletic facility equipment solutions that promise to offer decades of satisfaction. It's a commitment we've made since our foundation.

At Porter Athletic, our mission is to continually improve our processes, products, expertise, and service to create superior opportunities for athletic success.

porter®

WHAT'S INSIDE

PG. 2 PORTABLE BACKSTOPS & ACCESSORIES

PG. 8 BASKETBALL GOALS

PG. 12 GLASS BACKBOARDS

PG. 14 FIBERGLASS/METAL BACKBOARDS

PG. 16 GOAL & BACKBOARD ACCESSORIES

PG. 18 WALL MOUNTED BACKSTOPS

PG. 20 FACILITY EQUIPMENT

PG. 22 ACCESSORIES

PG. 26 OUTDOOR FIXED SYSTEMS

PG. 30 OUTDOOR ADJUSTABLE HEIGHT SYSTEMS

PG. 34 TRAINING & CONDITIONING PRODUCTS

PG. 38 SPECIALTY PADDING

PG. 40 WALL PADS

1735 PORTABLE BACKSTOPS

MOTORIZED BACKSTOP OPTIONS

Motorized 10'8" (3.25m) Extension	01735108M
Motorized 8' (2.44m) Extension	01735800M

MANUAL BACKSTOP OPTIONS

Manual 10'8" (3.25m) Extension	01735108
Manual 8' (2.44m) Extension	01735800
Manual 7' (2.13m) Extension	1735700

CUSTOMIZE

Boom Pad	017346XX
Boom Pad w/ Shot Clock Cut Out	017347XX
Adjustable Shot Clock Support	017375
Perimeter Backboard Lights	See page 22.
Replacement Pads	See page 7.
Graphics (per pad)	PPBB

Each Portable Unit Includes:

Center - Strut Glass Backboard

Pro-Pad Bolt-On Backboard Padding

Torq - Flex 180 Goal with Anti-Whip Net

Floor Anchors

Will It Fit? Check these 1735 Dimensions

	01735-700	01735-800(M)	01735-108 (M)
A	7'	8'	10'8"
B	3'	4'	6'8"
IN STORAGE			
(H)	7'1"	7'1"	7'1"
(L)	12'10"	13'10"	16'6"
(W)	6'4"	6'4"	6'4"





Vinyl Colors:

01	02	03	04	05	06	08	09	10	11	12	13	14	15
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE	YELLOW GOLD	TAN	GRAY	MAROON	PURPLE	BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN

1735 SERIES

Now you have the best of both worlds in a top rated portable system that can be operated using spring or mechanically assisted set up.

Under normal motorized operation the 1735 Portables are incredibly easy to set up and take down and cycle from stored position to full set up quickly. To add to operator comfort, safety and control, these portables feature a unique tethered operating control system that allows the operator to stand back from the unit and simply push a button to raise and lower the unit.

The tried and true spring system provides a back up operating system and adds a sense of security that your systems will be operable in case of an electric power failure. Fast, safe and reliable, the 1735M models offer the finest quality and features available in the industry.

- SPRING ASSIST BACKUP
- TUBULAR STEEL TOP BRACE
- 4" THICK FRONT PADDING
- UNIQUE TIE - DOWN SYSTEM
- CENTER-STRUT ATTACHMENT
- AVAILABLE IN 7', 8', AND 10'8" EXTENSIONS
- ADJUSTABLE TO 8', 9', AND 10' GOAL HEIGHTS

***10** YEAR LIMITED WARRANTY*

Portable Shown With Optional Shot Clock Support

CUSTOM GRAPHICS AVAILABLE

735 PORTABLE BACKSTOPS

MANUAL BACKSTOP OPTIONS

Manual 5' (1.52m) Extension	00735208
Tie Down System (Required, Not Included)	00737100

CUSTOMIZE

Perimeter Backboard Lights	See page 22.
Replacement Pads	See page 7.
Shot Clock Support	007375
Graphics (per pad)	PPBB

CUSTOM GRAPHICS AVAILABLE

Each Portable Unit Includes:

Center - Strut Glass Backboard

Pro-Pad Bolt-On Backboard Padding

Torq - Flex Goal with Anti-Whip Net

Required:Tie-Down System

See next page for floor anchors used with self-locking, ratcheting tie down system.

Will It Fit? Check these 735 Dimensions

	00735-208
A	5'
STORAGE	
(H)	6'7"
(L)	11'8"
(W)	6'4"



Vinyl Colors:

01 LIGHT BLUE	02 ROYAL BLUE	03 RED	04 WHITE	05 ORANGE
06 YELLOW GOLD	08 TAN	09 GRAY	10 MAROON	11 PURPLE
11 PURPLE	12 BLACK	13 NAVY BLUE	14 KELLY GREEN	15 DARK GREEN

735 SERIES

Perfect for recreational play, side courts, churches, and K-8 play this portable is an affordable option when you need portable goals!

A unique tension spring-assist folding mechanism concealed in the base provides instant and effortless height adjustments at 8', 9' or 10' goal heights. All structural hinge points are fitted with oil impregnated bronze bushings for a maintenance-free operation.

When in the playing position the base is locked into position by four, foot-operated retractable floor pads. Porter's exclusive Center-Strut® provides a direct goal-mount system which withstands slam dunking and prevents glass backboards from shattering.

- TUBULAR STEEL TOP BRACE
- 2" THICK FRONT PADDING
- SPRING ASSISTED MANUAL ADJUSTMENT
- CENTER-STRUT ATTACHMENT
- AVAILABLE IN 5' EXTENSION
- ADJUSTABLE TO 8', 9', AND 10' GOAL HEIGHTS

10 YEAR LIMITED WARRANTY

sales@porterathletic.com | www.porterathletic.com

PORTABLE ACCESSORIES

Expansion Anchor

The industry's favorite. Ideal where there is at least 6" of concrete. Expansion shield provides super holding power. Anchor is 1½" diameter minimizing metal surface on gym floor. Top portion of anchor may be removed for cleaning and washers may be added or removed to keep surface of anchor flush with floor.

00247100

Thin Concrete Anchor

Designed for maximum holding power through thin channel lock wood or synthetic floors into concrete sub-floors of minimal thickness. Four double acting expansion anchors provide an ultimate pull-out load of 8,200 pounds when properly installed. Top plate is 3½" diameter and is polished and chrome plated.

00242100

Sleeper Anchor

Designed for use in sleeper floors where anchorage into both concrete slab and wood floor is desirable. Top plate is 3½" diameter and is threaded to provide adjustment to floor surface.

00244000

Portable Floor Type Anchor

Designed specifically for installation on a professional type portable wood flooring system. Anchor is identical to the 3½" diameter chrome plated top plate assembly as used on the No. 00242100 floor anchor with the addition of flat head machine screws and a heavy steel reinforcing plate which is mounted under the portable floor panels to properly distribute loading on the wood sections.

00242900

Floating Floor Type Anchor

Two part system to allow movement and expansion of wood floor where flooring does not exceed 37/8" total thickness. Anchor installs after finished floor is in place by means of a double acting masonry anchor. 5" chrome or brass plated cover assembly consists of molded plastic recessed mounting flange, cork gasket and swivel type retainer pin. Specify extended shaft handwheel for use on floor mounted equipment.

Anchor w/ Chrome Cover	00249000
Anchor w/ Brass Cover	00249200
Handwheel w/Stud ½"-3½"	HAND00001000
Handwheel w/Stud ½"-2¼"	HAND00027000
Handwheel w/Stud ½"-4"	HAND00067000

CUSTOM GRAPHICS

Give your school or facility a true home team advantage with custom printed graphics on your portable backstop!

Simply provide your logo artwork and our design team works with you to create a stunning display. With a state-of-the-art printing process and proper artwork our printer can print nearly any design!

Custom Graphic PPBB

1735

1735 Set (10'8", 8', 7')
17351XX

1735M Set (10'8", 8',7')
17351XXM

735

5' Set
07351XX

1235

8' Set
12351XX

10'8" Set
12352XX

1535

8' Set
15351XX

10'8" Set
15352XX

Replacement Portable Backstop Pads

Fully padded with 2" thick shock-absorbing material available in 14 colors. The 1235, 1535, & 1735 models feature an extra thick 4" front pad. Pads come in a replacement set standard. Individual pads may be requested for 1735, 1735M and 735 Portables.

Dual-Core Spring Kits

Extra spring sets when adding a shot clock or for replacement to portable backstop units.

735 Spring Kit	0073801
1535 Spring Kit -1	0153801
1535 Spring Kit -2	0153802
1535 Spring Kit -3	0153803
1735 Spring Kit -1	0173801
1735 Spring Kit -2	0173802
1735 Spring Kit -3	0173803

BASKETBALL GOALS

Torq-Flex® 180 Goal

High-tensile steel torsion rods allow the goal to pivot in all directions while providing proper elasticity and ball rebound characteristics.

00254500

- NCAA Division 1 / FIBA Compliant
- NCAA Division 2/3 Compliant
- NFHS Compliant
- 180 Flex Rim
- Made In USA
- 5" x 4" to 5" x 4½" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment

7 YEAR LIMITED WARRANTY

Orbit-Flex 180 Goal

An economical 180 flex goal for competition play in high school, college, and recreational facilities.

254180

- NCAA Division 2/3 Compliant
- NFHS Compliant
- 180 Degree Flex Rim
- 5" x 4" to 5" x 4½" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment

5 YEAR LIMITED WARRANTY

Torq-Flex® Goal

Built to withstand the rigors of pro-level slam dunks, this maintenance-free movable flex goal is perfect for main court competition!

00256500

- NCAA Division 1 / FIBA Compliant
- NCAA Division 2/3 Compliant
- NFHS Compliant
- Flex Rim
- Made In USA
- 5" x 4" to 5" x 4½" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment

5 YEAR LIMITED WARRANTY

Powr-Flex® Goal

Exceptional strength and performance are achieved by the unique concealed shock absorber mechanism.

Goal Centers 5" x 4" to 5" x 4½"
22302
Goal Centers 5" x 5"
23302

- NCAA Division 2/3 Compliant
- NFHS Compliant
- Flex Rim
- 5" x 4" to 5" x 4½" Mount Pattern
- 5" x 5" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment

5 YEAR LIMITED WARRANTY

Ultra-Flex® Goal

A premier breakaway rim designed with a positive lock mechanism that releases with a 180 lb. static load.

Goal Centers 5” x 4” to 5” x 4½”
00245500
Goal Centers 5” x 5” (Outdoor)
00245600

- NCAA Division 2/3 Compliant
- NFHS Compliant
- Breakaway Rim
- Made In USA
- 5" x 4" to 5" x 4½" Mount Pattern
- 5" x 5" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment

5 YEAR LIMITED WARRANTY

Ultra-Flex II Goal

A true breakaway rim designed with a positive lock mechanism that releases with a 180 lb. static load.

236054

- NCAA Division 2/3 Compliant
- NFHS Compliant
- Breakaway Rim
- 5" x 4" to 5" x 4½" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment

5 YEAR LIMITED WARRANTY

Powr-Flex II Goal

An economical competition flex rim.

Goal Centers 5” x 4” to 5” x 4½”
236154
Goal Centers 5” x 5” (Outdoor)
236H00

- 5" x 4" to 5" x 4½" Mount Pattern
- 5" x 5" Mount Pattern
- Includes Net & Mounting Hardware
- Tube Tie Net Attachment

5 YEAR LIMITED WARRANTY

Heavy-Duty Playground

This indestructible goal is the most rugged outdoor goal available with solid double 5/8” diameter rim design.

00251H00

- 5" x 5" Mount Pattern
- Includes Net & Mounting Hardware

UNCONDITIONAL LIMITED WARRANTY

Double Rim Playground

Heavy-duty, double rim construction makes this front-mount goal withstand rugged playground use.

00202H00

- 5" x 5" Mount Pattern
- Includes Net & Mounting Hardware

1 YEAR LIMITED WARRANTY

5 YEAR LIMITED WARRANTY

Super Goal

Heavy-duty regulation front-mount goal has extra high-tensile strength steel and rugged 5/8” diagonal support bracing.

Goal Centers 5” x 4” to 5” x 4½”
00225000
Goal Centers 5” x 5”
00235000

- 5" x 4" to 5" x 4½" Mount Pattern
- 5" x 5" Mount Pattern
- Includes Net & Mounting Hardware

1 YEAR LIMITED WARRANTY

Rear Mount Goal

Heavy-duty, rear-mount goal with welded support brace makes this the top replacement goal for old style fan steel banks.

Goal Centers 3 5/8” x 3”
00210000

- Made In USA
- Includes Net & Mounting Hardware

1 YEAR LIMITED WARRANTY

Championship® Goal

Intended for residential use only, not for use on school/public playgrounds. Fits Championship/U-Can-Slam residential systems.

Goal Centers 3” x 4”
09143000

- Made In USA
- Includes Net & Mounting Hardware

1 YEAR LIMITED WARRANTY

GLASS BACKBOARDS

LIFETIME LIMITED WARRANTY

Pro-Strut® Rectangular Glass Backboard

72" x 42" or 72" x 48" backboard includes a vertical Center-Strut goal support and four corner attachment support frame. This design allows installation on wall-mount units, double drop overhead supported units or old style support system. Brushed aluminum extrusions secure ½" thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty. Backboard padding is not included but is recommended for player safety. Goal mount centers 5" x 4½".

72" x 42" Backboard	204
72" x 42" Backboard with LED Lights	204L1
72" x 48" Backboard (5" x 5" Mounting Centers)	206
Pro-Strut® Package	20410

INCLUDED: Backboard, Powr-Flex® II Goal, Pro-Pad Backboard Pad

LIFETIME LIMITED WARRANTY

Pro-Strut Conversion Glass Backboard

No additional support structure or hardware is needed to replace a standard fan shaped backboard with this official size 72" x 42" rectangular glass backboard. The two vertical struts with fan shaped backboard mounting centers include all the necessary hardware. Brushed aluminum extrusions secure ½" thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty. Goal mount centers 5" x 4½". Backboard padding is not included but is recommended for player safety.

72" x 42" Backboard	205
54"x 39" Backboard	2045439
Pro-Strut Conversion Package	2043510

INCLUDED: Conversion Backboard, Powr-Flex® II Indoor Goal, Pro-Pad Backboard Pad

1 YEAR LIMITED WARRANTY

Essentials Glass Backboards

This glass backboard is secured inside a unitized steel frame with aluminum facing. Horizontal and vertical supports reinforce the goal mounting area to reduce stress on backboard. Official perimeter and target area screened on the back of the board to prevent wear. Goal mount centers 5" x 5". Backboard padding not included, recommended for player safety.

72" x 42" Board	209
54" x 39" Board	210

LIFETIME *LIMITED WARRANTY*

Center-Strut® Rectangular Glass Backboard

This official size 72” x 42” backboard with three point attachment support frame is designed for use only on direct goal mount (Center-Strut) support structures. Brushed aluminum extrusions secure ½” thick fully tempered glass to the unitized steel frame. Official white border and target area are fired into the glass. Limited lifetime warranty when installed on Porter Center-Strut support systems. Backboard padding is not included but is recommended for player safety. Goal mount centers 5” x 4-½”.

72” x 42” Backboard	**208**
72” x 42” Backboard with LED Lights	**208L1**
Center-Strut® Package	**20810**

INCLUDED: Backboard, Torq-Flex® Goal, Pro-Pad Bolt-On Backboard Pad

FIBERGLASS BACKBOARDS



Fiberglass Backboards

This 54” x 39” fan or official size 72” x 42” rectangular backboards are molded from fiberglass. Perimeter flange and structural rib pattern are 1½” deep for rigidity and superior rebound qualities. Official perimeter and target area are screened. Threaded inserts on fan backboard mounting centers allow mounting on any standard support structure. Additional holes are provided for attachment to Center-Strut® support system. Goal mount centers 5” x 4½” to 5” x 5”. Backboard padding is not included but is recommended for player safety.

Rectangle Board	216
Fan Board	267

1 YEAR LIMITED WARRANTY

METAL BACKBOARDS

Aluminum Backboards

This 54" x 39" backboard is made from cast aluminum with continuous reinforcing ribs on the backside. Perimeter flange and ribs are 1 ¼" thick for maximum strength. White powder coat finish with official perimeter and target area screened in orange OR silver finish. Goal mount centers 5" x 5". Patent No. 5,207,419

White/Orange Board	234A
White Board	234

10 *YEAR LIMITED WARRANTY*

Steel Backboards

72" x 42" or 54" x 39" backboards are designed to withstand rugged play and severe weather conditions. Heavy, 11 gauge steel face has ¼" diameter perforations to minimize wind resistance. Official perimeter and target area are screened on solid steel. Unitized steel support frame has attachment holes on fan backboard mounting centers allowing installation on existing support structures with optional mounting kit. Goal mount centers 5" x 5". Backboard padding is not included but is recommended for player safety.

72" x 42" Board	207
54" x 39" Board	203

LIFETIME *LIMITED WARRANTY*

ACCESSORIES

Pro-Pad® Bolt-On Backboard Padding

NEW 10 YEAR LIMITED WARRANTY

Featuring self-tapping screws, the Pro-Pad® is the easiest backboard pad in the industry to install. The improved 2-hole design is extremely durable and is manufactured with a tough molded urethane skin that is painted in the mold with a color matched urethane paint to provide the exterior with uniform colored appearance. Meets all competition requirements of the NBA, NCAA, NFHS and International requirements of FIBA. **Pads one backboard.**

Gray	00326000	**Maroon**	00326400
Red	00326100	**Orange**	00326500
Royal Blue	00326200	**Black**	00326600
Navy Blue	00326210	**Purple**	00326700
Kelly Green	00326300	**Yellow Gold**	00326800
Dark Green	00326310	**Light Blue**	00326220

Adhesive Backboard Pads

Pads molded from self-skinning polyurethane foam. Fast-setting adhesive installation. Available in gray only. **Pads two backboards.**

For 2" Thick Backboards	00227000
For 19/16" Thick Backboards	00229000

Rec. Backboard Pad

Pads molded from self-skinning type urethane foam for a tough, UV resistant exterior skin. Two pad sections are self aligning with interlocking joints and molded in an L-shape providing proper drainage for outdoor use. Bolt on installation using steel inserts and special self-drilling, self-tapping type hardware. For indoor or outdoor use. Available in black only. **Pads one backboard.**

48" Wide Pad	00324648
54" Wide Pad	00324654
72" Wide Pad	00324672

Fair-Court® System

The Fair-Court rim testing system is designed to fairly and accurately measure the rebound performance of the rim and entire support system. This testing is essential in order to begin solving the problem of inconsistent rebound performance found in inferior or worn equipment, to minimize the home court advantage and to improve the integrity of the game of basketball.

System is furnished complete in a compact carrying case to properly transport and store the entire unit. Unit breaks down easily into three sections for compact storage.

ERTD2003NCAA

Fan Backboard Mount Kit

Install Porter's fan-shaped backboards to existing indoor or outdoor support structures. Channel type adapters bolt to the cast-in threaded inserts on the backboard (located on 35/8" centers) and allow attachment to existing backboard extension with special internal sliding nuts. Adapts to existing fittings with a horizontal bolt hole spacing up to 7 ¼" centers.

00217000

Net Tube-Tie Cord

Replacement nylon cord for our tube-tie basketball goal system. Includes hardware.

ROND00123100

Tamper Proof Hardware for Goals

Wards off the most determined theft or vandalism attempts! Set of four round head bolts with special high security nuts using a torque limiting breakaway head section combined with a free turning protective sleeve. For use on any Porter standard front-mount goal. No special tools are required for installation.

01218000

Rebounder Ring

Rebounder ring fits all standard size rims, installation is quick and easy. Three thumb screws keep the ring in place.

RING002

Nylon Net

Anti-Whip Net 12 Pack
09608120
Anti-Whip Net
09608000
Nylon Net
NETS00001000
Residential Nylon Net
NETS00021000

Chain Net

Zinc-plated. Attaches to any style rim with heavy duty S-hooks. Fits only 00251-H00 heavy duty playground goal.

00161000

WALL MOUNT BACKSTOPS

RECOMMENDED FOR ALL UP-FOLD WALL MOUNT BACKSTOPS:

Safe Strap Kit 10797120

219 Up-Fold Series

Backstop folds up with hoisting winch for compact storage of both framework and backboard. Special offset hinge fitting arrangement allows backstop to fold nearly flat against a wall. Backstop extension is available in any dimension from 4' to 12' from the wall.

Up-Fold System with **Pro-Strut Board**
Includes 00256-500 Goal & Board Padding
***5** YEAR LIMITED WARRANTY*

4'-6'	21946
6'-9'	21969
9'-12'	219912

Up-Fold System with **Fan Board**
Includes 23302 Goal

4'-6'	219F46
6'-9'	219F69
9'-12'	219F912

220 Side-Fold Series

Backstop folds to side for economical, compact storage. This style is recommended where low ceiling height or obstructions prohibit other folding methods. Backstop is operational from the floor with a telescoping diagonal brace system with a special locking mechanism. Offset hinge fitting allows backstop to fold nearly flat against a wall. Extension is available in any dimension from 4' to 12' from the wall.

Side-Fold System with **Pro-Strut Board**
Includes 00256-500 Goal & Board Padding
***5** YEAR LIMITED WARRANTY*

4'-6'	22046
6'-9'	22069
9'-12'	220912

Side-Fold System with **Fan Board**
Includes 23302 Goal

4'-6'	220F46
6'-9'	220F69
9'-12'	220F912

312 Stationary Series

Simple, rigid diagonally braced design supports backboard at any extension from .5' to 12' from the wall. Porter's Center-Strut® backstops are designed with a direct-mount system which provides a structural mounting support plate directly behind the goal eliminating any strain on the backboard during aggressive play.

Stationary System with Center-Strut Board | Manual Height Adjuster
Includes 23302 Goal & Padding | Manual Height Adjuster

5 YEAR LIMITED WARRANTY

1'-4'	31214	31214HA
4'-6'	31246	31246HA
6'-9'	31269	31269HA
9'-12'	312912	312912HA

Stationary System with Fan Board
Includes 23302 Goal

1'-4'	312F14
4'-6'	312F46
6'-9'	312F69
9'-12'	312F912

Outdoor Wall Mount System

Fully welded heavy-duty steel frame is galvanized after fabrication for a finish that's durable enough to last a lifetime! Center-Strut® direct goal mount design eliminates any strain on the backboard during aggressive play. Backstop extends 4' from the wall. Unit includes 00234300 aluminum backboard and a 00251H00 heavy-duty playground goal with chain net to provide the utmost in durability. Wall mounting bolts and anchors not included.

01312400

10 YEAR LIMITED WARRANTY

Column Mount System

Designed for mounting a fan-shaped backboard and goal to an exposed straight or sloped column (maximum flange width of 15"). Center-Strut® direct goal mount design eliminates any strain on the backboard during aggressive play. Unit includes extension frame with special attachment assemblies and mounting hardware only. Specify fan backboard and goal separately. Available with Center-Strut® manual height adjustment feature which allows goal height settings from 8'-10'. We recommend column padding for player safety.

Fixed Height System	00310100
Height Adjuster System	00311100

FACILITY EQUIPMENT

Electric Winch

5 YEAR LIMITED WARRANTY

The (No. 712) ¾ HP and the (No. 713) 1 HP equipment winch motors have been manufactured to Porter's well established requirements for quality and safety with improved operating speed. These newly designed motors continue the Porter reputation for durable, high-quality backstop winches in facilities all over the globe. The 712/713 motors come with many improvements and features including a 4" OD extended machined aluminum cable drum allowing 41 ft. of cable capacity on a single layer, an external belt tensioner for easier adjustments and maintenance, a cable tensioner to keep cable in place during slack conditions, and a 5-year limited warranty.

The 712/713 basketball backstop winches will operate with Porter's 3-position key switch, Powr-Touch® systems, or SportSonic® II wireless control system.

¾ HP Winch	712
1 HP Winch	713

SportSonic®

SportSonic® II Transmitter operates up to 99 pieces of equipment effortlessly via remote control. An excellent choice where maneuverability and convenience are desired while operating the gymnasium equipment. Reduces the need for costly wiring and key switches.

1 receiver per backstop is required.

SportSonic II Transmitter
12002100
Receiver Kit
12002200

Key Switch Control

This control system provides separate up and down keys for safe equipment operation. Standard 4½" square flush mounting features a stainless steel cover plate. Operates Porter's Electric Winch (see right).

1 key switch per backstop is required.

XELE00791112

Saf-Strap Safety Lock

Any increase in cycle speed or tension, whether sudden or gradual, immediately activates the locking device. The device will lock in any state or cycle, in the event of an over-speed occurrence due to a malfunction of the hoisting apparatus.

Product is suspended from ceiling and attaches to backstop. Additional structure may be required.

797

Advanced Installation Required

Items on these two pages (12-13) may require advanced installation by a trained professional. Incorrect installation may result in product failure and/or warranty void. Installation and fees are customer responsibility. Contact your Porter dealer for additional information.

Download Installation Instructions!

Installation Instructions for Center-Strut Height Adjusters

Installation for Electric Winch

No. 00900-506 Single Drop Manual Height Adjuster

Patent No.'s 5,279,496, 5,462,269, 6,537,162 B1 and 6,056,654

Center-Strut® Height Adjusters

A Porter exclusive. Available on the celing suspended backstop selection of your choice, along with the option to choose either manual or electric operation. Porter's Limited Lifetime Warranty offered on all Porter backboards installed with a Center-Strut® height adjuster. The goal height is easily adjustable to any height from 8' to 10' to accommodate all age levels. Height settings are clearly visible from the floor for accurate adjustments. Electric height adjuster unit incorporates a compact motor to raise and lower the goal height electrically from 8' and 10'.

Optional cordless drill unit allows for power operation of Manual Center-Strut® Height Adjuster.

Choose Manual (hand-cranked) Height Adjuster or Powr-Stick (AC operated electric-cranked) Height Adjuster.

Manual Height Adjusters

Single Drop For Rectangular Boards	00900506
Single Drop For Fan Boards	00900211
Dbl. Drop for Rect. Board	00600506
Portable Drill Operation	00900259
Hand Crank	XCRK90000102
Replacement Rod Kit	REPL09009002

(For post 1995 installations, for pre 1995 contact your Porter Dealer)

Powr-Stick Operated Electric Height Adjusters

Single Drop For Rectangular Boards	00902506
Single Drop For Fan Boards	00902211
Dbl. Drop for Rect. Board	00602506
Powr-Stick Pole (1 Required)	00902000

Manual Winch

Compact winch with precision-machined, hardened steel worm, forged bronze worm wheel and thrust ball bearing provides smooth, quiet operation and holds backstop in any position. Hand crank sold separately.

Manual Winch	00700000
Hand Crank	XCRK70000002
Gear Replacement Kit	REPL10700000
Wood Pad	XPAD2100260B

Electric Winch Operator

Compact, heavy-duty unit to operate Porter's manual winch or any winch with a ¾" square drive shaft. Sufficient power and torque to handle folding backstops up to a 25' attachment height. Double insulated with 50' power cord and two-prong plug. No grounding required. Complete with a durable storage case.

Electric Winch Operator	00269000
Chuck	WINH00048000

ACCESSORIES

LED Perimeter Lights

LED lights comply with the latest NBA, NCAA, and FIBA recommendations and meet NFHS end of period light requirements. Lights are neatly contained within a custom aluminum extrusion and mount directly inside the perimeter backboard markings providing a clean, uncluttered appearance. Order one set per backboard.

Center-Strut Rectangular Glass Backboard

LED light set with synchronizer	820801
LED light set with Daktronics cord	820802
LED light set with Nevco cord	820803

Pro-Strut Rectangular Glass Backboard

LED light set with synchronizer	820401
LED light set with Daktronics cord	820402
LED light set with Nevco cord	820403

NJPA AWARDED CONTRACT

As the only basketball equipment provider on contract with NJPA, you can count on us to offer outstanding options for all your basketball equipment needs. For over 100 years, the game's been played on Porter, and now it's easier than ever to make a purchase.

What's NJPA? NJPA creates national cooperative contract purchasing opportunities and solutions on behalf of its members which include all government, education and non-profit agencies nationwide. These cooperative contract purchasing opportunities present both time and money savings for users.

Reference NJPA contract #082114.

2 Tier Ball Cart

- 1" Tube Steel Construction
- Black Powder Coat Finish
- Holds 18 Official Basketballs
- Easy-Roll Casters

93818

7 YEAR LIMITED WARRANTY

3 Tier Ball Cart

- 1" Square Steel Construction
- Black Powder Coat Finish
- Holds 15 Official Basketballs
- Easy-Roll Casters

93815

7 YEAR LIMITED WARRANTY

3 Tier Double Ball Cart

- 1" Square Steel Construction
- Black Powder Coat Finish
- Holds 30 Official Basketballs
- Easy-Roll Casters

93830

7 YEAR LIMITED WARRANTY

Ball Cage

- 1" Square Steel Construction
- Black Powder Coat Finish
- Holds 30 Official Basketballs
- Easy-Roll Casters

93930

7 YEAR LIMITED WARRANTY

GYM ACCESSORIES

Multi-Sport Digital Scoreboard

An economical solution for scoring almost any sport, the Multi-Sport Digital Scoreboard offers features found in more expensive scoreboards at an extremely reasonable price. Added features include battery operated wireless operation, program timer, clock and stopwatch functionality. Applicable for basketball, volleyball, wrestling, karate, and team handball.

Scoreboard: 35¾" H x 55¼" W x 3" D (91cm H x 140cm W x 6cm D)
Control Console: 7¾" H x 13" W x 3½"D (20cm H x 33cm W x 9cm D)

831WS001

Seiko Table Top Scoreboard

Scores multiple sports including basketball, volleyball and tennis and can be used as a stopwatch countdown timer or pacer. Can be operated from backside control panel or wireless remote (included). High visibility LED display. Programmable game timer counts up or down from 99:59 with scores for two teams up to 199. Buzzer when timer reaches zero, or can be manually controlled. Powered by AC 100-240V. Additional wireless remotes available.

Dimensions: 25½" (W) x 15¾" (H) x 82/3" (D)
Digital Height: Top row timer - 5.1"; Scores - 4.7"; Bottom row timer - 4.3"

Scoreboard	83201
Caster Stand	83203
Additional Remote	83204
Carry Bag	83202

Seiko Portable Shot Clock

Shot clock is in accordance with International Basketball regulations. Includes two display units, controller box, two connection cables and power cable. Features two instantly re-settable preset times and high visibility LED digits at 9.84". Can be set from 1-99 seconds and resolution is in full seconds. Buzzer when countdown reaches zero. Small display in control box, powered by AC 100-240V.

Each display dimensions: 192/3" (W) x 13¼" (H) x 21/8" (D)

Shot Clock	83205
Caster Stand	83203

Padded Seating

- Clarin brand durable steel frame folding chair
- Features 1" or 3" seat cushion
- Create a custom look by choosing vinyl and frame color
- Two color screen available in up to two locations
- Minimum order of 24

1" Seat Pad	7132
3" Seat Pad	7131

Floor Cover System

- Tough 19 oz Polyester-Reinforced Vinyl
- Meets NFPA 701, UL-214, and CA Fire Marshall Fire Requirements
- 7 Year Warranty Against Defects in Materials/Workmanship On Cover
- Passes ASTM E84: Class A

An economical way to use your gymnasium as a multi-use facility. Protects your floors and helps reduce maintenance and refinishing expenses. The Porter floor cover transport and storage cart provides a quick and easy method to install and remove floor covers over large areas, with only two people.

Simply roll the transport cart into position at one end of the floor and lock the non-marking 6" diameter swivel casters in place. Pull the 10' wide seamed sections across the floor and repeat for additional sections of cover as required. When removing, attach each cover section to individual storage rollers with quick and easy hook and loop attachment strips. Roll up the vinyl covers with the standard hand crank or optional power winder. No manual lifting required.

Non-Marking Locking Casters

Optional Tape Applicators

Standard Hand Crank

Hook and Loop Attachment System

Optional Storage Cover

Optional Power Winder

10' Standard Width Vinyl-Coated Floor Cover Fabric

Specify length and color when ordering. 120' max per roll.

19 oz Vinyl	92418XX

Transport/Storage Carts *Other sizes available online.*

4 Roller	*(max. 40' x 120' / 4,800 ft²)*	2404
6 Roller	*(max. 60' x 120' / 7,200 ft²)*	2406
8 Roller	*(max. 80' x 120' / 9,600 ft²)*	2408
10 Roller	*(max. 100' x 120' / 12,000 ft²)*	2410
12 Roller	*(max. 120' x 120' / 14,400 ft²)*	2412

Sold Separately

Power Winder	02405000
Storage Rack Cover	924040XX
Hand Held Tape Applicator	02406200
Walk Type Tape Applicator	02406300
Tape (12 rolls)	02406112

Vinyl Colors:

01 LIGHT BLUE	02 ROYAL BLUE	03 RED	04 WHITE	05 ORANGE
06 YELLOW GOLD	08 TAN	09 GRAY	10 MAROON	11 PURPLE
11 PURPLE	12 BLACK	13 NAVY BLUE	14 KELLY GREEN	15 DARK GREEN

When Ordering: *Use the two-digit color number to replace XX in the item number.*

GOOSENECK SYSTEMS

USE THE MATRIX TO CHOOSE YOUR EXTENSION DISTANCE, POLE DIAMETER, BACKBOARD, AND RIM

10 YEAR LIMITED WARRANTY

Gooseneck 4' Extension 3½" Diameter Pole		00235000 Super Goal	00202H00 Double Rim	00251H00 Heavy-Duty	236H00 Powr-Flex II
267 Fan Fiberglass		00174120	00174130	00174140	00174150
234 Fan Aluminum White		00174220	00174230	00174240	00174250
234A Fan Aluminum		00174320	00174330	00174340	00174350
5' Extension 4½" Diameter Pole					
267 Fan Fiberglass		00175120	00175130	00175140	00175150
234 Fan Aluminum White		00175220	00175230	00175240	00175250
234A Fan Aluminum		00175320	00175330	00175340	00175350
210 54" x 39" Glass		00175420	00175430	00175440	00175450
216 72" x 42" Fiberglass		00175820	00175830	00175840	00175850
6' Extension 5 9/16" Diameter Pole					
267 Fan Fiberglass		00176120	00176130	00176140	00176150
234 Fan Aluminum White		00176220	00176230	00176240	00176250
234A Fan Aluminum		00176320	00176330	00176340	00176350
210 54" x 39" Glass		00176420	00176430	00176440	00176450
207 72" x 42" Steel		00176520	00176530	00176540	00176550
209 72" x 42" Glass		00176620	00176630	00176640	00176650
216 72" x 42" Fiberglass		00176820	00176830	00176840	00176850

Super Duty System

Provides the utmost in safety and strength during even the toughest play. California and Florida specifications require extended pole length for a 2' deeper footing.

00251H00 Heavy-Duty	236H00 Powr-Flex II
176FLSD340	176FLSD350
176FLSD540	176FLSD550
176FLSD640	176FLSD650

Custom Powder Coat

All Systems Are Available in durable powder coat finish! Chose from 15 school colors!

979040XX

01	02	03	04	05	06	07	08
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE	YELLOW GOLD	SILVER	OLD GOLD

09	10	11	12	13	14	15
GREY	MAROON	PURPLE	BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN

When Ordering: Use the 2-digit color number to replace XX in the item number.

VERTICAL POST SYSTEMS

USE THE MATRIX TO CHOOSE YOUR EXTENSION DISTANCE, POLE DIAMETER, BACKBOARD, AND RIM

10 YEAR LIMITED WARRANTY

Super Duty System

Provides the utmost in safety and strength during even the toughest play. California and Florida specifications require extended pole length for a 2' deeper footing.

Vertical Post 4'Extension **4½" Diameter Pole**		00235000 Super Goal	00202H00 Double Rim	00251H00 Heavy-Duty	236H00 Powr-Flex II		00251H00 Heavy-Duty	236H00 Powr-Flex II
267 Fan Fiberglass		00164120	00164130	00164140	00164150			
234 Fan Aluminum White		00164220	00164230	00164240	00164250			
234A Fan Aluminum		00164320	00164330	00164340	00164350		164FLSD340	164FLSD350
210 54" x 39" Glass		00164420	00164430	00164440	00164450		164FLSD440	164FLSD450
216 72" x 42" Fiberglass		00164820	00164830	00164840	00164850			
203 54" x 39" Steel							164FLSD740	164FLSD750
Vertical Post 6'Extension **5 9/16" Diameter Pole**								
267 Fan Fiberglass		00166120	00166130	00166140	00166150			
234 Fan Aluminum White		00166220	00166230	00166240	00166250			
234A Fan Aluminum		00166320	00166330	00166340	00166350			
210 54" x 39" Glass		00166420	00166430	00166440	00166450			
207 72" x 42" Steel		00166520	00166530	00166540	00166550		166FLSD540	166FLSD550
209 72" x 42" Glass		00166620	00166630	00166640	00166650		166FLSD640	166FLSD650
216 72" x 42" Fiberglass		00166820	00166830	00166840	00166850			

Vertical Post Systems Are Also Available in Back-To-Back Configurations. Call For Pricing & Details.

Custom Powder Coat

All Systems Are Available in durable powder coat finish! Chose from 15 school colors!

979040XX

01	02	03	04	05	06	07	08
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE	YELLOW GOLD	SILVER	OLD GOLD

09	10	11	12	13	14	15
GREY	MAROON	PURPLE	BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN

When Ordering: Use the 2-digit color number to replace XX in the item number.

ADJUSTABLE SYSTEMS

Big Shot® Collegiate System

Features a rugged support system with anchor bolt mounting. Glass backboard has a weather resistant, powder coated, unitized steel rear support structure and is fitted in an aluminum frame to provide superior ball rebound. Official white perimeter and target area markings are silk screened on the backside to prevent wear. Includes the Powr-Flex® goal, a flex rim that protects players and equipment during slam-dunk with a concealed shock absorber.

Includes backboard system, goal, nylon net, & mounting hardware. 5" pole with 2'6" offset and 60" x 36" backboard.

Collegiate Package 9571
Includes System, Pole and Backboard Pad.

5" Outdoor Pole Pad 95708



Big Shot® Pro System

The Big Shot Pro System features a rugged support system with anchor bolt mounting. Glass backboard has a weather resistant, powder coated, unitized steel rear support structure and is fitted in an aluminum frame to provide superior ball rebound. Official white perimeter and target area markings are silk screened on the backside to prevent wear.

Includes the Powr-Flex® goal (for more details see page 8), a flex rim that protects players and equipment during slam-dunk with a concealed shock absorber.

Includes backboard system, goal, nylon net, pole pad, backboard pad, & mounting hardware. 6" pole with 4' offset and 72" x 42" backboard.

Pro Package 9572
Includes System, Pole and Backboard Pad.

6" Outdoor Pole Pad 95758

OUTDOOR SYSTEMS



Heavy-Duty System

Heavy-duty support structure provides tremendous strength and is designed to withstand the most rugged playing conditions. Backstop provides a 5' extension into the playing court for maximum safety. Available as a single post or a back-to-back system when a multiple court layout is desired. Unconditional Lifetime Warranty is provided on the most rugged outdoor goal available. Great system for regulation outdoor competitions.

Official size 72" x 42" perforated backboard is 11 gauge steel with a massive rear support framework. Backboard is screened with official perimeter and target area markings. Backboard, goal and pole have an extremely durable powder coated finish.

Standard System	00195580
Back-to-Back System	00195582
Pole Pad	09532912
Backboard Pad	00324672

UNCONDITIONAL *LIMITED WARRANTY*

Rock Solid System

Built to withstand the elements and the occasional natural disaster! This custom model meets Florida's hurricane wind load standards and is as heavy duty as they come featuring and extra large schedule 80 (4½") gooseneck pole.

Includes schedule 80 gooseneck pole, 00234-300 aluminum fan backboard, 00251-H00 heavy-duty playground goal, and chain net.

00175340FL

UNCONDITIONAL *LIMITED WARRANTY*



Ultimate Outdoor System

Turn any outdoor court into an official arena! Includes 6' vertical pole, 72" x 42" Center-Strut® glass backboard, 00256500 Torq-Flex Goal, and anti-whip net.

Comes powder coat color available for additional charge.

00166750

10 *YEAR LIMITED WARRANTY*

POWDER COAT COLORS

01	02	03	04	05	06	07	08
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE	YELLOW GOLD	SILVER	OLD GOLD

09	10	11	12	13	14	15
GREY	MAROON	PURPLE	BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN

Championship System

Rigid feel and authentic rebound characteristics make this unit the best value in home basketball systems. 4" square pole has extension arm and sway braces to enhance unit stability. The direct goal mount provides superior strength and rigidity to the 48" x 36" acrylic backboard.

Includes backboard system, goal, nylon net, & mounting hardware.

System	092320FG
Pole Pad (4")	09432912
Backboard Pad	00324648



Court Stencil Kit

Stencil kit provides ease of painting official court lines on asphalt or other surfaces in only minutes. Stencil sections are easily taped in place while paint is applied through the stencil holes using a roller provided with kit. (Paint is not furnished with kit.)

01209000

Home Shot Trainer

Reinforce proper arc with thousands of extra repetitions and build game-time muscle memory and confidence.

The iC3 returns made AND missed shots, so you spend more time shooting and less time chasing the ball into the street or yard. With the 180 degree rotatable ball return ramp, you can easily train from any area of the court. Designed for the driveway hoop, the iC3 rests securely on the top of any existing basketball hoop. It stores compactly and is easy to set-up and use. Recommended for athletes 7+.

Trainer	55400
Accessory Kit	55401

Pole Pads

Fits 3½" - 5½" Pole Diameters: 1½" thick polyurethane foam pad is 6' tall and fits 3½"–4½" pole diameters. 15 oz. vinyl 5'10" x 12" cover available in 14 colors; specify color with order. Lace closure.

6' Lace-Up Pad	000690XX

Deluxe Pad: 4" thick polyurethane foam pad is 6' tall and fits 4½"- 5⁹⁄₁₆" pole diameters. 15 oz vinyl cover available in 14 colors. Hook and loop closure.

6' Pad, Hook-And-Loop Closure	001870XX

TRAINING & CONDITIONING

Soft Plyoboxes

Less intimidating that standard metal or wood plyoboxes. Lightweight, yet durable construction. Boxes stack with industrial strength Velcro®.

3" Box	TA203	**18" Box**	TA218
6" Box	TA206	**24" Box**	TA224
12" Box	TA212		

Box Pack TA225

Package Includes: 5 Plyoboxes, 1 Each Size

Steel Plyoboxes

Constructed of sturdy and durable 1" square steel tubing and anti-skid rubber top platform, steel plyoboxes are a great way for athletes to improve leg power, speed, and strength. Easily stack with tapered leg design.
(Mat not included).

6" Box	TA3060	**24" Box**	TA324
12" Box	TA312	**30" Box**	TA330
18" Box	TA318	**36" Box**	TA336
20" Box	TA320	**42" Box**	TA342

Set of 4 TA301
Includes 12", 18", 24", and 30" boxes
Set of 6 TA300
Includes 12", 18", 24", 30", 36" and 42"

Electronic Vertical Jump Tester

- Measures From 7' To 12' In ½" Increments
- Light Up Digital Display Immediately Shows The Exact Jump Height
- Downloadable Data
- State-of-the-Art Design
- Available in Custom Colors

TA199C*XX* **$3,399.00**

POWDER COAT COLORS

01 LIGHT BLUE	02 ROYAL BLUE	03 RED	04 WHITE	05 ORANGE
06 YELLOW GOLD	07 SILVER	08 OLD GOLD	09 GREY	10 MAROON
11 PURPLE	12 BLACK	13 NAVY BLUE	14 KELLY GREEN	15 DARK GREEN

When Ordering: Use the 2-digit color number to replace XX in the item number.

Agility Dots

Easy to use dots ideal for hard surfaces like gymnasium floors. Create patterns for challenging footwork. Easy to see bright colors. Set of 6.

TA1694

Dot Drill Mat

Every athlete can benefit by doing agility drills using this Dot Drill Mat. The Dot Drill Mat measures 3' x 4' x 3/8" with five integrated rubber dots.

TA1425



Agility Poles

Excellent for marking agility courses and drills. 5' tall poles force players to maintain optimum posture during exercises. New bases can be filled with sand for extra stability. Includes 4 bases and 4 poles.

TA1850 **set of 4**

Agility Ladders

Footwork training for advanced speed, balance, and coordination. Composed of 7'6" ladder sections to determine length. Easily connects with other ladders. Nylon webbing with durable flat poly slats. Includes carry bag.

15' Ladder	TA1691
30' Ladder	TA1681

Mini Bands

2" Wide x 13" Long Bands. Perfect for warm-ups, drills, and strengthening hip muscles. 10 bands per pack.

Light Resistance	TA1741L
Medium Resistance	TA1741M
Heavy Resistance	TA1741H

TRAINING & CONDITIONING

PowerMax® Rubber Medicine Balls

Synthetic rubber ball suitable for all sports. Perfect for bounce drills. Can be used indoor and outdoor. Color coded for easy weight identification.

Purple 1K (2.2 lb), 6.5" diameter	TA106
Yellow 2K (4.4 lb), 7.5" diameter	TA108
Green 3K (6.6 lb), 9.5" diameter	TA109
Red 4K (8.8 lb), 9.5" diameter	TA110
Blue 5K (11 lb), 10.5" diameter	TA111
Orange 6K (13.2 lb), 11" diameter	TA112
Gray 7K (15.4 lb), 11" diameter	TA131
Black 8K (17.6 lb), 12" diameter	TA132

Stability Balls

Excellent for balance, abdominal work and stretching. Each ball is fabricated from the finest vinyl designed to support 500 lbs of weight. Ball size used according to athlete's height. Shipped deflated.

55cm Red, 5'-5'8"	TA1805
65cm Blue, 5'8"-6'2"	TA1806
75cm, Grey 6'2"+	TA1807

PowerMax® Rubber Medicine Balls

All balls are 14" in diameter, impact absorbing, and moisture resistant with an 18 oz. flexible polyurethane shell textured for grip. The hand-sewn casing design and expert ball construction ensure that the implement remains dimensionally stable, balanced, and maintains the impact absorbing properties. One year warranty.

4 lb	TA1361
6 lb	TA1362
8 lb	TA1363
10 lb	TA1364
12 lb	TA1365
14 lb	TA1366
16 lb	TA1367
18 lb	TA1368
20 lb	TA1369
24 lb	TA136924
30 lb	TA136930

Jump Ropes

The leather rope has heft and can be spun quickly. The speed ropes have stainless steel cable encased in plastic for maximum speed. Both use ball bearings at handles, and are fixed lengths. Comes with carry bag for easy storage. Power Ropes are weighted ropes made of solid rubber with padded handles.

9' Speed Rope	TA128
10' Speed Rope	TA1281
Leather Jump Rope	TA127
1 lb-Green Power Rope	TA1341
2 lb-Yellow Power Rope	TA1342
3 lb-Royal Blue Power Rope	TA1343
4 lb-Orange Power Rope	TA1344

Push/Pull Sled

US made 11 gauge steel frame sled features a space-saving design that is less than 7" high when folded, replaceable/removable runners for use on a variety surfaces, and quick release pins for fast set-up and breakdown. The versatile sled accommodates all sizes of athletes with adjustable width push posts (12-21"W x 32"H) and multiple push/pull options.

Sled holds up to 360lb on a 15" long x 2" diameter post that can fit four 45lb bumper plates or eight traditional steel 45lb plates. The sled can be used without the posts to provide different loading applications.

Sled includes leads and a harness.

TA155CXX

Power Pad

Sprint, jump, hop and rehab, all within the confines of the low-impact, energy-absorbing Power Pad which magnifies the intensity of any upright exercise. 48"L x 48"W x 24"H

TA194



Step Hurdles

6" Hurdle	TA167
12" Hurdle	TA166
18" Hurdle	TA16618
24" Hurdle	TA16624

Reflex Balls

Large Reflex Ball; Red	TA144

Therapy Rollers

13" Trigger Point Grid Roller	TA1835
2-In-1 Foam Roller (Shown)	TA1826
Standard Foam Roller	TA3620

Stretch Out Strap

62" Stretch Out Strap	TA1781

SPECIALITY PADS

3-Sided Column Pads

Specially pre-cut custom pads easily install around columns. The 1" nailing margin on top and bottom of panels facilitate ease of installation. Rigid-Backed pads are 2" polyethylene foam bonded to 7/16" wood board. All pads are upholstered in heavy 15 oz vinyl. Available in 14 stock colors.

4' x 8' or Less

Sewn
90316048XX

Rigid Backed
90306048XX

Rigid Backed, Fire Rated
90307048XX

2-Sided Corner Pads

Specially pre-cut custom pads easily install around columns or corners. The 1" nailing margin on top and bottom of panels facilitate ease of installation. Rigid-Backed pads are 2" polyethylene foam bonded to 7/16" wood board. All pads are upholstered in heavy 15 oz vinyl. Available in 14 stock colors.

2' x 6' Sewn ImpactSafe™	90216026XX
2' x 6' Rigid Backed ImpactSafe™	90206026XX
2' x 6' Rigid Backed SuperSafe™	90207026XX
4' x 8' Sewn ImpactSafe™	90216048XX
4' x 8' Rigid Backed ImpactSafe™	90206048XX
4' x 8' Rigid Backed SuperSafe™	90207048XX

Vinyl Colors:

01	02	03	04	05	06	08
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE	YELLOW GOLD	TAN

09	10	11	12	13	14	15
GRAY	MAROON	PURPLE	BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN

"I" Beam Pad

Pad is held secure by hook and loop strips, fabricated with 2" polyethylene foam and covered with a high-quality vinyl coated fabric. Specify color with order.

Pad fits Beams 6"-8" Wide
003560XXB

Pad fits Beams 8"-10" Wide
003562XXB

Pad fits Beams 10"-12" Wide
003563XXB

Molded Inserts

The neat, clean appearance of the molded inserts makes them an ideal option when cutouts are required for electrical outlets and switches. Inserts fit through field cutouts and are stapled in place on the backside of the pad. Inserts accommodate pad thickness of 2-3". Available in two sizes to fit single-gang and double-gang electrical boxes. Inserts are molded in flame-retardant rubber.

Patent No. 6,769,562

Gray

Single-Gang Gray	343001
Double-Gang Gray	344001

Graphite

Single-Gang Graphite	343101
Double-Gang Graphite	344101

Stage Pads

Panels are supplied in easily removable sections allowing easy set up and removal for stage activities or to access storage. Four styles of pads are available, all with available custom graphics.

ImpactSafe Sewn

Sewn Pad	960550XX
Graphic Printing	PPBB

ImpactSafe Rigid Backed

Wood-Backed Pad	960560XX
Graphic Printing	PPBB

SuperSafe Rigid Backed

Wood-Backed Pad	960570XX
Graphic Printing	PPBB

FireSafe Rigid Backed

Wood-Backed Pad	960575XX
Graphic Printing	PPBB

Storage Strip
1½" wide rigid hook and loop strip is encased in a 4' long anodized aluminum strip for ease of mounting.

00144440





Wall Pad Mounting Clips

An attractive, convenient alternative to permanently attaching wall pads that will provide your facility with a smooth and neat appearance. The Z-Clip is an attachment method that will securely lock wall panels in place using "Z" type clips or channel systems. The Z-Clip attachment system allows worn or vandalized pads to be removed for repair or replacement by simply lifting the panel upward or removing the top trim channel.

Z-Clip wall padding attachment method is designed to combine the use of heavy extruded aluminum wall and baseboard attachment clips to provide ease of installation and a clean, neat appearance.

A Style: 6' Wall Z-Clip	00347100B
B Style: 1'6" Panel Z-Clip	00347200B
C Style: 6' Z-Clip Channel	00347300B

WALL PADS



All Porter Wall Pads feature:

- Mildew And Rot Resistant
- Foam Bonded To 7/16" Oriented Strand Board (OSB)
- Entire Pad Upholstered In Heavy 15oz Vinyl
- Vinyl has a 100PSI Tensile Strength With Leather-like Finish
- Custom Graphic Printing And 14 Vinyl Colors Available
- Pads Available With ASTM F2440 Impact Protection And/Or ASTM NFPA 286 Certification
- Custom Sizes Available, Call For More Details

Vinyl Colors:

01	02	03	04	05	06	08	09	10	11	12	13	14	15
LIGHT BLUE	ROYAL BLUE	RED	WHITE	ORANGE	YELLOW GOLD	TAN	GRAY	MAROON	PURPLE	BLACK	NAVY BLUE	KELLY GREEN	DARK GREEN

PAD FEATURES

CUSTOM GRAPHICS
PPBB $99.00/PAD

PROUDLY MADE
IN THE USA

MEETS OR EXCEEDS
IMPACT STANDARDS

MEETS OR EXCEEDS
FIRE CODES

ImpactSafe™ Pads

Basic Protection

- Meets ASTM F2440 Impact Protection Standard

2" Foam (Each)

2' x 5'10" (No Margins)	005601XXB
2' x 6' (Nailing Margins)	005600XXB
2' x 8' (No Margins)	00560281XXB
2' x 8' (Nailing Margins)	00560280XXB

3" Foam (Each)

2' x 5'10" (No Margins)	005611XXB
2' x 6' (Nailing Margins)	005610XXB

Custom Pad Dimensions (2" Foam)

2' x 5'10" or less	0056026SP
2' x 6' to 2' x 8' Custom	0056028SP
2' x 8' to 3' x 8' Custom	0056038SP
3' x 8' to 4' x 8' Custom	0056048SP

FireSafe™ Pads

Fire Protection

- Entire Pad Assembly is ASTM E-84 Class "A" Fire Rated
- Tested in accordance with NFPA 286 to meet IBC and NFPA 101 code requirements

2" Foam (Each)

2' x 5'10" (No Margins)	005751XXB
2' x 6' (Nailing Margins)	005750XXB

3" Foam (Each)

2' x 5'10" (No Margins)	005761XXB
2' x 6' (Nailing Margins)	005760XXB

Custom Pad Dimensions (2" Foam)

2' x 5'10" or less	0057526SP
2' x 6' to 2' x 8' Custom	0057528SP
2' x 8' to 3' x 8' Custom	0057538SP
3' x 8' to 4' x 8' Custom	0057548SP

SuperSafe™ Pads

Advanced Protection

- Meets ASTM F2440 Impact Protection Standard
- Entire Pad Assembly is ASTM E-84 Class "A" Fire Rated
- Tested in accordance with NFPA 286 to meet IBC and NFPA 101 code requirements

2" Foam (Each)

2' x 5'10" (No Margins)	005701XXB
2' x 6' (Nailing Margins)	005700XXB
2' x 8' (No Margins)	00570281XXB
2' x 8' (Nailing Margins)	00570280XXB

3" Foam (Each)

2' x 5'10" (No Margins)	005721XXB
2' x 6' (Nailing Margins)	005720XXB

Custom Pad Dimensions (2" Foam)

2' x 5'10" or less	0057026SP
2' x 6' to 2' x 8' Custom	0057028SP
2' x 8' to 3' x 8' Custom	0057038SP
3' x 8' to 4' x 8' Custom	0057048SP

601 MERCURY DRIVE | CHAMPAIGN, IL 61822

SALES@PORTERATHLETIC.COM

[888] 277.7778

Prefer an E-Catalog instead? Follow the link to unsubscribe from future mailings.
http://www.litaniasports.com/unsubscribe