

# TABLE OF CONTENTS

INTRODUCTION	1-3	BIKE RACKS	108-110	
DUMOR COLLECTIONS Families of benches, receptacles, planters, and tables coordinated by matching style	4-61	GRILLS & ASH URNS	111	
		BOLLARDS	112	
POST MOUNT BENCHES Wood or recycled plastic park style benches	62-69	CUSTOM PLAQUES	113	
LITTER AND RECYCLING	70-81	CUSTOM PRODUCTS 114		
RECEPTACLES		SUSTAINABILITY COMMITMEN	NT 120	
CHAIRS AND TABLES	82-103	NUMERICAL PRODUCT INDEX 12		
PLANTERS	106-107			

## DUMOR COLLECTIONS INDEX

Benches: 490. 491, 492, 493, 494, 495, 496, 497, 498	6-11	Benches: 282, 283, 284, 285, 446, 447	32-35	H	Benches: 500, 501 Receptacle: 502	52-53
Benches: 93, 95	12-13	Benches: 160, 164, 165, 166, 168, 173	36-39	6	Benches: 470, 471, 472, 473 Receptacle: 474 Table: 475	54-57
Benches: 94, 117, 118 Receptade: 17	14-17	Benches: 190, 191 Receptacle: 429	40-41	þ.	Benches: 59, 104 Receptacle: 89	58-59
Benches: 19, 57, 58, 91, 92, 106 Receptacles: 102, 124 Table: 443 Planter: 122	18-23	Benches: 185, 186, 194, 195 Receptacles: 196, 187	42-45		Benches: 520, 521, 522, 523, R520, R521, 528, WR520, WR521, W520, W521, W522, W523, 524 Table: 525	60-61
Benches: 140, 143, 144, 162 Receptacles: 148, 152	24-29	Benches: 505, 506, 507	46-49			
Benches: 119, 120	30-31	Benches: 270, 271 Receptacle: 272	50-51			

## **COLOR AND MATERIAL OPTIONS**

### POWDER COAT COLOR OPTIONS

Most DuMor products are available in your choice of several color options in a super durable baked-on polyester powder finish.



#### WOOD



DuMor has selected the highest grade woods available for use on our products. "C" & Better Douglas Fir and Ipe are offered as standard wood options. Douglas Fir will be delivered coated in a clear preservative. Due to its density and estimated longevity, left uncoated, Ipe will be delivered in its natural state without preservative. Thermally Modified Red Oak utilizes a specialized process where the

wood is heated (using steam) to a very high temperature to transform it on a molecular level into a highly-durable outdoor material. With thermal modification the lumber undergoes a fundamental change - where the sugars and starches caramelize making the wood a nonfood source and the wood cell walls lock into place preventing the wood from absorbing water like that of unmodified wood.

As a natural product of our environment, wood will weather when placed outdoors. Signs of weathering include splitting, checking, and changing color. These are not covered by DuMor's warranty. Wood colors will vary.

The high-density polyethylene raw material utilized in our recycled plastic furnishings is derived from post-consumer bottle waste resulting in a product that is over 90% recycled.

The longevity and Eco-friendliness of recycled plastic lumber with a

To truly appreciate this product it needs to be seen and handled,



**BRAZILIAN WALNUT** ANTIQUE MAHOGANY

Please note that due to variations in photographic reproductions, natural wood grains and colors shown throughout may not be exact.

Please contact your local DuMor Representative for color and material samples.

# THE DUMOR DIFFERENCE

**THE EXPERIENCE** Since 1984, DuMor has focused on combining the best products, people and Representatives to deliver a superior customer experience. Our people, manufacturing the finest products, are represented by teams of talented, dedicated individuals across the U.S. and Canada who deliver the DuMor customer experience on a local level. Company and Representative dedication to customer service has always been at the forefront of our business model. From your initial discussion with a DuMor Representative, through the specifying and manufacturing processes to final product delivery, we are driven to provide an exceptional customer experience.

**THE QUALITY** A cornerstone in the original DuMor vision was to design and manufacture outdoor furniture of exceptional quality. We are known throughout the industry as a brand that exemplifies the value of well built, superior quality products. Based in central Pennsylvania, DuMor is proud of our dedicated craftsmen who build each product with precision. Established and trusting relationships with quality vendors ensure we source the best raw materials for use in manufacturing. Efficient, quality focused manufacturing processes coupled with our people and materials enable DuMor to set the standard for quality in the site furnishing industry.

**THE VERSATILITY** Certain unique spaces demand a product with a perfect fit. At DuMor, we meet that challenge by working with Architects and Project Planners to bring custom product ideas to life. We have a dedicated team of designers and draftsmen who specialize in making custom products a reality in a timely manner. Additionally, changes to standard products such as additional armrests, custom color matching, unique bench length, and laser cut designs are no problem. We bring to the table decades of experience making site furnishings that turn your vision into reality.

**THE DESIGN** Good Design Matters. Ingrained in our culture is a desire to consistently introduce new and relevant products for our customers. Relevant means we aspire to have a product line as extensive and diverse as the projects that Landscape Architects and Planners design. Our goal is to design site furnishings that fit any space whether matching a contemporary space, accentuating traditional architecture, or blending into the nature of a park. The DuMor product line lives through the weather and industry trends because good design is timeless.

**WHY WE DO WHAT WE DO** We believe great outdoor spaces make the world better. We think communities flourish when they have public space to enjoy. We think commercial spaces should include functional site amenities. We want to make spaces more comfortable, accessible to everyone, functional and more beautiful. It's a simple thing that drives us. We love what we do!





# DUMOR COLLECTIONS

Families of benches, receptacles, planters, and tables coordinated by matching style



Douglas Fir slats **490-60D** 6' LONG,135 LBS. **490-80D** 8' LONG,157 LBS. Ipe slats **490-60I** 6' LONG, 180 LBS. **490-80I** 8' LONG, 217 LBS. Thermally Modified Red Oak slats **490-60TMR** 6' LONG, 135LBS. **490-80TMR** 8' LONG, 157LBS. Recycled Plastic slats **490-60PL** 6' LONG, 167 LBS. **490-80PL** 8' LONG, 3 SUPPORTS, 239 LBS. Wood Grain Recycled Plastic slats **490-60TX** 6' LONG, 167 LBS. **490-80TX** 8' LONG, 3 SUPPORTS, 239 LBS. Add to unit price for center armrest • Cast aluminum end supports



8125"		
	76.5"/ 100.5 "	







#### BENCH 491/492

Douglas Fir slats **491-60D** 6' LONG, W/ARMRESTS, 100 LBS. **491-80D** 8' LONG, W/ARMRESTS, 115 LBS. **492-60D** 6' LONG, 92 LBS. **492-80D** 8' LONG, 107 LBS. Ipe slats **491-60I** 6' LONG, W/ARMRESTS, 128 LBS. **491-80I** 8' LONG, W/ARMRESTS, 153 LBS. **492-60I** 6' LONG, 120 LBS. **492-80I** 8' LONG, 145 LBS. Thermally Modified Red Oak slats **491-60TMR** 6' LONG, W/ARMRESTS, 100 LBS. **491-80TMR** 8' LONG, W/ARMRESTS, 115 LBS. **492-60TMR** 6' LONG, 92 LBS. **492-80TMR** 8' LONG, 107 LBS. Recycled Plastic slats **491-60PL** 6' LONG, W/ARMRESTS, 128 LBS. **491-80PL** 8' LONG, 3 SUPPORTS, W/ARMRESTS, 183 LBS. **492-60PL** 6' LONG, 120 LBS. **492-80PL** 8' LONG, 3 SUPPORTS, 170 LBS. Wood Grain Recycled Plastic slats **491-60TX** 6' LONG, W/ARMRESTS, 128 LBS. **491-80TX** 8' LONG, 3 SUPPORTS, W/ARMRESTS, 183 LBS. **492-60TX** 6' LONG, 120 LBS. **492-80TX** 8' LONG, 3 SUPPORTS, 170 LBS. Add to unit price for center armrest


• Cast aluminum end supports









BENCH 493 493-60 6' LONG, 238 LBS. 493-80 8' LONG, 299 LBS. Add to unit price for center armrest • Cast aluminum end supports







BENCH 494/495 494-60 6' LONG, W/ARMRESTS, 192 LBS. 494-80 8' LONG, W/ARMRESTS, 240 LBS. 495-60 6' LONG, 183 LBS. 495-80 8' LONG, 231 LBS. Add to unit price for center armrest • Cast aluminum end supports







BENCH 496 496-60 6' LONG, 216 LBS. 496-80 8' LONG, 287 LBS. Add to unit price for center armrest • Cast aluminum end supports








#### BENCH 497/498


497-60 6' LONG, W/ARMRESTS, 186 LBS.
497-80 8' LONG, W/ARMRESTS, 228 LBS.
498-60 6' LONG, 177 LBS.
498-80 8' LONG, 219 LBS.
Add to unit price for center armrest
Cast aluminum end supports








BENCH 93 93-60 6' LONG, 292 LBS. 93-80 8' LONG, 354 LBS. Add to unit price for center armrest








**BENCH 95 95-60** 6' LONG, 223 LBS. **95-80** 8' LONG, 272 LBS. Add to unit price for center armrest





#### BENCH 94 94-60 6' LONG, 230 LBS. 94-80 8' LONG, 277 LBS. Add to unit price for center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5) • 1" x 1" steel tube seating surface



MOUNTING OPTIONS







#### **RECEPTACLE 17**


#### 17-22 22-GALLON, 200 LBS.

Cover Options: Standard, Recycling (RC), Bonnet top (BT), Dome (DM) Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5) Emptying Method: Hinged cover, HDPE liner





BENCH 117 117-60 6' LONG, 223 LBS. 117-80 8' LONG, 275 LBS. Add to unit price for center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5) • 2" x 1" steel tube seating surface



MOUNTING OPTIONS






S-1 S-2 EMBEDMENT SURFACE MOUNT

S-5 FREE STANDING




**BENCH 118 118-60** 6' LONG, 227 LBS. **118-80** 8' LONG, 274 LBS. Add to unit price for center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5) • Contoured 1" x 1" steel tube seating surface




MOUNTING OPTIONS







BENCH 58 58-60 6' LONG, 300 LBS. 58-80 8' LONG, 361 LBS. Add to unit price for center armrest







**BENCH 92** 92-60 6' LONG, 227 LBS. 92-80 8' LONG, 275 LBS. Add to unit price per end/center armrest






**RECEPTACLE 102** 102-22 22-GALLON, 236 LBS. 102-225H 22-GALLON, W/OPTIONAL STEEL SHIELD, 258 LBS. 102-32 32-GALLON, 272 LBS. 102-32SH 32-GALLON, W/OPTIONAL STEEL SHIELD, 299 LBS. 102-40-RC 40-GALLON SPLIT STREAM RECYCLE, 278 LBS.

102-40SHRC 40-GALLON SPLIT STREAM RECYCLE, W/OPTION-AL STEEL SHIELD, 304 LBS.


Þ

DM


Emptying Method: Hinge door emptying, HDPE liner Additional Cover Options Listed Options



32 GAL.









32.37

28






#### PLANTER 122

**122-00** STEEL PLANTER, 185 LBS. **122-00SH** STEEL PLANTER W/OPTIONAL STEEL SHIELD, 201 LBS. Add to unit price for self watering liner option


- HDPE liner
- Optional liner concealing shield






#### TABLE SET 443

**443-62** 6' TABLE, (2) 6' BENCHES, 806 LBS. **443-82** 8' TABLE, (2) 8' BENCHES, 974 LBS. **443-558-1** 8', ADA ACCESSIBLE TABLE, (2) 5' BENCHES, 827 LBS.






19-60 6' LONG, 379 LBS.19-80 8' LONG, 457 LBS.Add to unit price for center armrestSteel 5/8" round rod seating surface





BENCH 106 106-60 6' LONG, 264 LBS. 106-80 8' LONG, 319 LBS. Add to unit price per end/center armrest • Steel 5/8" round rod seating surface






Douglas Fir slats 57-60D 6' LONG, 198 LBS. 57-80D 8' LONG, 220 LBS. lpe slats 57-601 6' LONG, 243 LBS. 57-801 8' LONG, 280 LBS. Thermally Modified Red Oak slats 57-60TMR 6' LONG, 198 LBS. 57-80TMR 8' LONG, 220 LBS.

Recycled Plastic slats **57-40PL** 4' LONG, 194 LBS. 57-60PL 6' LONG, 229 LBS. **57-80PL** 8' LONG, 3 SUPPORTS, 333 LBS. Wood Grain Recycled Plastic slats 57-40TX 4' LONG, 194 LBS. 57-60TX 6' LONG, 229 LBS. **57-80TX** 8' LONG, 3 SUPPORTS, 333 LBS. Add to unit price for center armrest • Cast iron end supports • 2" x 3" nominal slats










Douglas Fir slats 91-60D 6' LONG, 136 LBS. 91-80D 8' LONG, 151 LBS. lpe slats 91-601 6' LONG, 164 LBS. 91-801 8' LONG, 189 LBS. Thermally Modified Red Oak slats 91-60TMR 6' LONG, 136 LBS. 91-80TMR 8' LONG, 151 LBS. **Recycled Plastic slats** 91-40PL 4' LONG,137 LBS. 91-60PL 6' LONG,164 LBS. 91-80PL 8' LONG, 3 SUPPORTS, 236 LBS. Wood Grain Recycled Plastic slats 91-40TX 4' LONG, 137 LBS. 91-60TX 6' LONG,164 LBS. 91-80TX 8' LONG, 3 SUPPORTS, 236 LBS. Add to unit price per end/center armrest



RECEPTACLE 124 Douglas Fir slats 124-31D 31-GALLON, 209 LBS. Ipe slats 124-31I 31-GALLON, 255 LBS. Thermally Modified Red Oak slats 124-31TMR 31-GALLON, 209 LBS. Recycled Plastic slats 124-31PL 31-GALLON, 219 LBS. Wood Grain Recycled Plastic slats 124-31TX 31-GALLON, 219 LBS.

Emptying Method: Lift off lid emptying, galvanized steel liner Standard Cover | Additional Cover Options












Recycled Plastic slats
143-40PL 4' LONG, 176 LBS.
143-60PL 6' LONG, 211 LBS.
143-80PL 8' LONG, 3 SUPPORTS, 306 LBS.
Wood Grain Recycled Plastic slats
143-40TX 4' LONG, 176 LBS.
143-60TX 6' LONG, 211 LBS.
143-80TX 8' LONG, 3 SUPPORTS, 306 LBS.
Add to unit price for center armrest
Custom lettering available on side supports











#### **RECEPTACLE 152**

Douglas Fir slats **152-31D** 31-GALLON, 209 LBS. Ipe slats **152-31I** 31-GALLON, 255 LBS. Thermally Modified Red Oak slats **152-31TMR** 31-GALLON, 209 LBS. Recycled Plastic slats **152-31PL** 31-GALLON, 219 LBS. Wood Grain Recycled Plastic slats **152-31TX** 31-GALLON, 219 LBS. Emptying Method: Lift off lid emptying, galvanized steel liner Standard | Additional Cover Options








BENCH 140 140-60 6' LONG, 282 LBS. 140-80 8' LONG, 343 LBS. Add to unit price for center armrest • Custom lettering available on side supports









BENCH 144 144-60 6' LONG, 217 LBS. 144-80 8' LONG, 265 LBS. Add to unit price per end/center armrest • Comfortable, contoured straps




— 74.25"/ 98.25" —



BENCH 162 162-60 6' LONG, 261 LBS. 162-80 8' LONG, 331 LBS. Add to unit price for center armrest • Custom lettering available on side supports

• Laser cut backrest and 1" square tube seat







#### **RECEPTACLE 148**

148-22 22-GALLON, 233 LBS.
148-225H 22-GALLON, W/OPTIONAL STEEL SHIELD, 255 LBS.
148-32 32-GALLON, 272 LBS.
148-325H 32-GALLON, W/OPTIONAL STEEL SHIELD, 299 LBS.
148-40RC 40-GAL. SPLIT STREAM RECYCLE, 278 LBS.
148-405HRC 40-GAL. SPLIT STREAM RECYCLE, W/OPTIONAL

STEEL SHIELD, 304 LBS.

40RC Split Stream

Emptying Method: Side door emptying, HDPE Liner

Listed Options

0


Standard



• Optional liner-concealing shield




32 GAL.






Side door emptying



BENCH 119 119-60 6' LONG, 299 LBS. 119-80 8' LONG, 359 LBS. Add to unit price for center armrest • Contoured steel seat









BENCH 120 120-60 6' LONG, 250 LBS. 120-80 8' LONG, 298 LBS. Add to unit price for center armrest


• Contoured steel seat





BENCH 446 446-60 6' LONG, 245 LBS. 446-80 8' LONG, 308 LBS. Add to unit price for center armrest • Cast aluminum end supports











BENCH 282/283 With Armrests 282-60 6' LONG, 198 LBS. 282-80 8' LONG, 247 LBS. Without Armrests 283-60 6' LONG, 180 LBS. 283-80 8' LONG, 229 LBS. Add to unit price for center armrest • Cast aluminum end supports








Douglas Fir slats **447-60D** 6' LONG, 217 LBS. **447-80D** 8' LONG, 272 LBS. Ipe slats **447-60I** 6' LONG, 254 LBS. **447-80I** 8' LONG, 327 LBS. Thermally Modified Red Oak slats **447-60TMR** 6' LONG, 217 LBS. **447-80TMR** 8' LONG, 272 LBS. Recycled Plastic slats **447-60PL** 6' LONG, 229 LBS. **447-80PL** 8' LONG, 269 LBS. Add to unit price for center armrest • Cast aluminum end supports










BENCH 284/285 Douglas Fir slats **284-60D** 6' LONG, W/ARMRESTS, 145 LBS. 284-80D 8' LONG, W/ARMRESTS, 171 LBS. 285-60D 6' LONG, 128 LBS. 285-80D 8' LONG, 153 LBS. Ipe slats 284-601 6' LONG, W/ARMRESTS, 179 LBS. 284-801 8' LONG, W/ARMRESTS, 216 LBS. **285-60I** 6' LONG, 162 LBS. 285-801 8' LONG, 198 LBS. Thermally Modified Red Oak slats 284-60TMR 6' LONG, W/ARMRESTS, 145 LBS. 284-80TMR 8' LONG, W/ARMRESTS, 171 LBS. 285-60TMR 6' LONG, 128 LBS. 285-80TMR 8' LONG, 153 LBS. Recycled Plastic slats **284-60PL** 6' LONG, W/ARMRESTS, 152 LBS. 284-80PL 8' LONG, W/ARMRESTS, 180 LBS. 285-60PL 6' LONG, 135 LBS. 285-80PL 8' LONG, 162 LBS. Add to unit price for center armrest • Cast aluminum end supports





# BENCH 160/168

 Flat Bar Seat
 Ro


 160-60
 6' LONG, 266 LBS.
 16

 160-80
 8' LONG, 314 LBS.
 16

 Add to unit price for center armrest
 16

Round Rod Seat **168-60** 6' LONG, 239 LBS. **168-80** 8' LONG, 284 LBS.










#### BENCH 164/173 Flat Bar Seat 164-60 6' LONG, 205 LBS. 164-80 8' LONG, 239 LBS. Add to unit price for center armrest

Round Rod Seat 173-60 6' LONG, 186 LBS. 173-80 8' LONG, 217 LBS.







Douglas Fir slats **165-60D** 6' LONG, 222 LBS. **165-80D** 8' LONG, 251 LBS. Ipe slats **165-60I** 6' LONG, 264 LBS. **165-80I** 8' LONG, 308 LBS. Thermally Modified Red Oak slats **165-60TMR** 6' LONG, 222 LBS. **165-80TMR** 8' LONG, 251 LBS. Recycled Plastic slats **165-60PL** 6' LONG, 230 LBS. **165-80PL** 8' LONG, 263 LBS. Add to unit price for center armrest










Douglas Fir slats **166-60D** 6' LONG, 182 LBS. **166-80D** 8' LONG, 204 LBS. Ipe slats **166-60I** 6' LONG, 206 LBS. **166-80I** 8' LONG, 236 LBS. Thermally Modified Red Oak slats **166-60TMR** 6' LONG, 182 LBS. **166-80TMR** 8' LONG, 204 LBS. Recycled Plastic slats **166-60PL** 6' LONG, 187 LBS. **166-80PL** 8' LONG, 210 LBS. Add to unit price for center armrest

75"/99




DUMOR.COM 39



BENCH 190 190-60 6' LONG, 277 LBS. 190-80 8' LONG, 325 LBS. Add to unit price for center armrest • Ductile iron end support



COORDINATING PLANTER ON PAGE 107










**BENCH 191** 191-60 6' LONG, 205 LBS. 191-80 8' LONG, 239 LBS. Add to unit price for center armrest • Ductile iron end support


RECEPTACLE 429	
429-32-FTO	32-GALLON, TOP DEPOSIT,
	191 LBS.
429-32-SO1	32-GALLON, SIDE DEPOSIT,
	1 OPENING, 204 LBS.
429-32-SO2	32-GALLON, SIDE DEPOSIT,
	2 OPENINGS, 203 LBS.
429-32-SO3	32-GALLON, SIDE DEPOSIT,
	3 OPENINGS, 201 LBS.
Emptying Method: Hinged cover, HDPE liner	
Listed Option	s   Additional Cover Options





Hinged cover








Douglas Fir slats **185-60D** 6' LONG, 168 LBS. **185-80D** 8' LONG, 196 LBS. Ipe slats **185-60I** 6' LONG, 214 LBS. **185-80I** 8' LONG, 257 LBS. Thermally Modified Red Oak slats **185-60TMR** 6' LONG, 168 LBS. **185-80TMR** 8' LONG, 196 LBS. Recycled Plastic slats **185-60PL** 6' LONG, 177 LBS. **185-80PL** 8' LONG, 3 SUPPORTS, 253 LBS. Add to unit price per end/center armrest

• Ductile cast iron supports



# COLLECTIONS



Shown in Deep Red finish/Walnut plastic

**BENCH 186** Douglas Fir slats 186-60D 6' LONG, 102 LBS. 186-80D 8' LONG, 120 LBS. lpe slats 186-601 6' LONG, 126 LBS. 186-801 8' LONG, 152 LBS. Thermally Modified Red Oak slats 186-60TMR 6' LONG, 102 LBS. 186-80TMR 8' LONG, 120 LBS. **Recycled Plastic slats** 186-60PL 6' LONG, 107 LBS. 186-80PL 8' LONG, 3 SUPPORTS, 152 LBS.

Add to unit price per end/center armrest

• Ductile cast iron supports

17.25" -74.4375"/ 98.4375"-



### **RECEPTACLE 187**

Douglas Fir slats 187-32D-FTO 32-GALLON, 186 LBS. lpe slats 187-32I-FTO 32-GALLON, 238 LBS. Thermally Modified Red Oak slats 187-32TMR-FTO 32-GALLON, 186 LBS. **Recycled Plastic slats** 

187-32PL-FTO 32-GALLON, 198 LBS. Emptying Method: Hinged cover, HDPE liner Additional Cover Options Listed Option



ΒТ DM

· Cast iron legs








BENCH 194 194-60 6' LONG, 218 LBS. 194-80 8' LONG, 259 LBS. Add to unit price per end/center armrest • Ductile cast iron supports

• Laser cut backrest and 1" square tube seating










BENCH 195 195-60 6' LONG, 112 LBS. 195-80 8' LONG, 133 LBS. Add to unit price per end/center armrest • Ductile cast iron supports RECEPTACLE 196 196-32 32-GALLON, 259 LBS. Emptying Method: Hinged cover, HDPE liner Listed Option | Additional Cover Options





• Cast iron legs










# COLLECTIONS



# **BENCH 505**

With Armrests
505-601 6' LONG, IPE SLATS, 186 LBS.
505-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 166 LBS.
505-60PL 6' LONG, RECYCLED PLASTIC SLATS, 160 LBS.
505-60TX 6' LONG, WG RECYCLED PLASTIC SLATS, 160 LBS.
505-60HC 6' LONG, STEEL SEAT AND BACKREST, 194 LBS.
Without Armrests
505-60INA 6' LONG, IPE SLATS, 181 LBS.
505-60FLNA 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 161 LBS.
505-60FLNA 6' LONG, RECYCLED PLASTIC SLATS, 155 LBS.
505-60FLNA 6' LONG, WG RECYCLED PLASTIC SLATS, 155 LBS.
505-60HCNA 6' LONG, STEEL SEAT AND BACKREST, 189 LBS.
Add to unit price for center armrest

• Cast aluminum end supports





With Armrests

506-601 6' LONG, IPE SLATS, 186 LBS.

506-60IHS 6' LONG, IPE SLATS AND STEEL BACKREST, 205 LBS. 506-60TMR 6' LONG, THERMALLY MODIFIED RED OAK, 166 LBS. 506-60TMRHS 6' LONG, THERMALLY MODIFIED RED OAK AND STEEL BACKREST, 195 LBS.

506-60PL 6' LONG, RECYCLED PLASTIC SLATS, 160 LBS.

506-60PLHS 6' LONG, RECYCLED PLASTIC SLATS AND STEEL BACKREST, 187 LBS.

506-60TX 6' LONG, WG RECYCLED PLASTIC SLATS, 160 LBS. **506-60TXHS** 6' LONG, WG RECYCLED PLASTIC SLATS AND STEEL BACKREST, 187 LBS.

506-60HC 6' LONG, STEEL SEAT AND BACKREST, 194 LBS.

#### Without Armrests

505-60INA 6' LONG, IPE SLATS, 181 LBS.


505-60IHSNA 6' LONG, IPE SLATS AND STEEL BACKREST, 201 LBS. 505-60TMRNA 6' LONG, THERMALLY MODIFIED RED OAK, 161 LBS. 505-60TMRHSNA 6' LONG, THERMALLY MODIFIED RED OAK AND STEEL BACKREST, 191 LBS.

505-60PLNA 6' LONG, RECYCLED PLASTIC SLATS, 155 LBS. 505-60PLHSNA 6' LONG, RECYCLED PLASTIC SLATS AND STEEL BACKREST, 182 LBS.

505-60TXNA 6' LONG, WG RECYCLED PLASTIC SLATS, 155 LBS. 505-60TXHSNA 6' LONG, WG RECYCLED PLASTIC SLATS AND STEEL BACKREST, 182 LBS.

505-60HCNA 6' LONG, STEEL SEAT AND BACKREST, 189 LBS. Add to unit price for center armrest

• Cast aluminum end supports








507-601 6' LONG, IPE SLATS, 155 LBS.
507-60TMR 6' LONG, THERMALLY MODIFIED RED OAK, 150 LBS.
507-60PL 6' LONG, RECYCLED PLASTIC SLATS, 130 LBS.
507-60TX 6' LONG, WG RECYCLED PLASTIC SLATS, 130 LBS.
507-60HC 6' LONG, STEEL SEAT, 126 LBS.
Add to unit price per end/center armrest
Control with price per end/center.


• Cast aluminum end supports







BENCH 270 270-601 6' LONG, IPE SLATS, 178 LBS. 270-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 138 LBS. 270-60PL 6' LONG, RECYCLED PLASTIC SLATS, 187 LBS. 270-60TX 6' LONG, WOOD GRAIN RECYCLED PLASTIC SLATS, 187 LBS. Add to unit price for center armrest











# BENCH 271 271-601 6' LONG, IPE SLATS, 123 LBS. 270-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 103 LBS. 271-60PL 6' LONG, RECYCLED PLASTIC SLATS, 123 LBS. 271-60TX 6' LONG, WOOD GRAIN RECYCLED PLASTIC, 123 LBS. Add to unit price for center armrest

RECEPTACLE 272 272-32-SO 32-GALLON, SIDE DEPOSIT, 109 LBS. 272-32-FTO 32-GALLON, TOP DEPOSIT, 98 LBS. Emptying Method: Lift off lid emptying, HDPE liner Listed | Additional Cover Option










500-60D 6' LONG, DOUGLAS FIR, 128 LBS.
500-60I 6' LONG, IPE, 148 LBS.
500-60TMR 6' LONG, THERMALLY MODIFIED RED OAK, 128 LBS.
500-60PL 6' LONG, RECYCLED PLASTIC, 153 LBS.
500-60TX 6' LONG, WOOD GRAIN RECYCLED PLASTIC, 153 LBS.
500-60HS 6' LONG, STEEL, 181 LBS.
Add to unit price for center armrest

Support Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)










With Armrests 501-60D 6' LONG, DOUGLAS FIR, 102 LBS. 501-601 6' LONG, IPE, 116 LBS. 501-60TMR 6' LONG, THERMALLY MODIFIED OAK, 102 LBS. 501-60PL 6' LONG, RECYCLED PLASTIC, 126 LBS. 501-60TX 6' LONG, WG RECYCLED PLASTIC, 126 LBS. 501-60HS 6' LONG, STEEL, 129 LBS. Without Armrests 501-60DNA 6' LONG, DOUGLAS FIR, 93 LBS. 501-60INA 6' LONG, IPE, 107 LBS. 501-60TMRNA 6' LONG, THERMALLY MODIFIED OAK, 93 LBS. 501-60PLNA 6' LONG, RECYCLED PLASTIC, 117 LBS. 501-60TXNA 6' LONG, WG RECYCLED PLASTIC, 117 LBS. 501-60HSNA 6' LONG, STEEL, 120 LBS. Add to unit price for center armrest

Support Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)



501-60HSNA Steel bench





COLLECTIONS

# **RECEPTACLE 502**

Flat top Cover

502-32D-FTO 32-GALLON, DOUGLAS FIR, 136 LBS. 502-32I-FTO 32-GALLON, IPE, 162 LBS. 502-32TMR-FTO 32-GALLON, THERM MODIFIED OAK, 136 LBS. 502-32PL-FTO 32-GALLON, RECYCLED PLASTIC, 143 LBS. 502-32TX-FTO 32-GALLON, WG RECYCLEDC PLASTIC, 143 LBS. 502-32HS-FTO 32-GALLON, STEEL, 183 LBS. Bonnet Top Cover

502-32D-BT 32-GALLON, DOUGLAS FIR, 180 LBS.

502-32I-BT 32-GALLON, IPE, 206 LBS.

502-32TMR-BT 32-GALLON, THERM MODIFIED OAK, 180 LBS. 502-32PL-BT 32-GALLON, RECYCLED PLASTIC, 187 LBS. 502-32TX-BT 32-GALLON, WG RECYCLED PLASTIC, 187 LBS. 502-32HS-BT 32-GALLON, STEEL, 228 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)


Emptying Method: Side door opening, HDPE liner






502-32HS-BT All Steel

502-32I-FTO (with door open)








Douglas Fir slats **472-60D** 6' LONG, 222 LBS. **472-60D-2AR** 6' LONG, 2 ARMRESTS, 234 LBS. Ipe slats **472-601** 6' LONG, 271 LBS. **472-601-2AR** 6' LONG, 2 ARMRESTS, 283 LBS. Thermally Modified Red Oak slats **472-60TMR** 6' LONG, 217 LBS. **472-60TMR-2AR** 6' LONG, 2 ARMRESTS, 229 LBS. Steel slats **472-60HS** 6' LONG, 282 LBS. **472-60HS-2AR** 6' LONG, 2 ARMRESTS, 294 LBS. Add to unit price for center armrest Support Options: Surface Mount (S-2), and Free Standing (S-5)



472-60HS-Steel Bench- S-2 supports








BENCH 473 Douglas Fir slats 473-60D 6' LONG, 159 LBS. 473-60D-2AR 6' LONG, 2 ARMRESTS, 179 LBS. Ipe slats 473-60I 6' LONG, 190 LBS. 473-60I-2AR 6' LONG, 2 ARMRESTS, 210 LBS. Thermally Modified Red Oak slats 473-60TMR 6' LONG, 162 LBS. 473-60TMR-2AR 6' LONG, 2 ARMRESTS, 182 LBS. Steel slats 473-60HS 6' LONG, 207 LBS. 473-60HS-2AR 6' LONG, 2 ARMRESTS, 227 LBS. Add to unit price for center armrest Support Options: Surface Mount (S-2), and Free Standing (S-5)



473-60HS-Steel Bench- S-2 supports





# **RECEPTACLE 474**

Douglas Fir slats

**474-32D-FTO** 32-GALLON, FLAT TOP, 170 LBS. **474-32D-BT** 32-GALLON, BONNET TOP, 194 LBS. Ipe slats

**474-32I-FTO** 32-GALLON, FLAT TOP, 223 LBS. **474-32I-BT** 32-GALLON, BONNET TOP, 247 LBS. Thermally Modified Red Oak slats

**474-32TMR-FTO** 32-GALLON, FLAT TOP, 170 LBS. **474-32TMR-BT** 32-GALLON, BONNET TOP, 194 LBS. Steel

**474-32VS-FTO** 32-GALLON, FLAT TOP, 283 LBS. **474-32VS-BT** 32-GALLON, BONNET TOP, 306 LBS.

Listed Options | Add

FTO BT






474-32VS-BT

474-32VS-FTO






BENCH 470
470-60D 6' LONG, DOUGLAS FIR SLATS, 217 LBS.
470-60I 6' LONG, IPE SLATS, 266 LBS.
470-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 217 LBS.
470-60HS 6' LONG, STEEL SLATS ,282 LBS.
Add to unit price per end/center armrest






BENCH 471
471-60D 6' LONG, DOUGLAS FIR SLATS, 162 LBS.
471-60I 6' LONG, IPE SLATS, 192 LBS.
471-60TMR 6' LONG, THERMALLY MODIFIED RED OAK SLATS, 162 LBS.
471-60HS 6' LONG, STEEL SLATS, 207 LBS.
Add to unit price per end/center armrest




# COLLECTIONS



# TABLE SET 475


475-60D 6' TABLE, 2 BENCHES, DOUGLAS FIR SLATS, 587 LBS.
475-60-1D ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, DOUGLAS FIR SLATS, 616 LBS.
475-60I 6' TABLE, 2 BENCHES, IPE SLATS, 690 LBS.
475-60-1I ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, IPE SLATS, 694 LBS.
475-60-TIMR ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, THERMALLY MODIFIED RED OAK SLATS, 690 LBS.
475-60-TIMR ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, THERMALLY MODIFIED RED OAK SLATS, 694 LBS.
475-60-TIMR ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, THERMALLY MODIFIED RED OAK SLATS, 694 LBS.
475-60-TIMS ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, STEEL SLATS, 744 LBS.
475-60-TIMS ADA ACCESSIBLE, 6' TABLE, (2) 6' BENCHES, STEEL SLATS, 744 LBS.
500 CONTROL (5-2), and Free Standing (S-5)





59-60 6' LONG, 198 LBS.
59-80 8' LONG, 235 LBS.
Add to unit price for center armrest
Support Options: Embedment (S-1), Surface Mount (S-2), Gull
Wing (S-3), and Sub Floor (S-4)

• Perforated steel seat frame



#### MOUNTING OPTIONS











## BENCH 104 104-60 6' LONG, 165 LBS.

104-80 8' LONG, 181 LBS. Add to unit price for center armrest Support Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

• Perforated steel seat frame



Shown in Juniper Green with optional dome (DM) cover


#### **RECEPTACLE 89** 89-32 32-GALLON, 129 LBS.


89-40-RC 40-GALLON SPLIT STREAM RECYCLE, 136 LBS. Emptying Method: Lift off lid emptying, HDPE liner Listed Options Additional Cover Options

DM

6

Standard





# **520 COLLECTION**

Our most versatile series of seating utilizing interchangeable supports and seats. Follow or meander through a landscape with elegantly connected straight and curved benches. Limitless combinations and drawn to your specification. Standalone or wall mounted. Available in Ipe, Recycled Plastic, Wood Grain Recycled Plastic, and Thermally Modified Red Oak.

#### STANDARD BENCHES

Traditional six and eight foot long benches in 2 different wood configurations.





521

- 6ft or 8ft, 2"x 4" lumber
- Vertical wood layout



520

- 6ft or 8ft, 2"x 4" lumber
- Vertical wood layout



523 • 6ft or 8ft, 2"x4 " lumber Horizontal wood layout



522 • 6ft or 8ft, 2"x 4" lumber

Horizontal wood layout

### CONTINUOUS BENCHES

Utilizing connecting support legs and end support legs, lengths and configurations are limitless.



#### R521

- Built to your specification, 48" minimum inside radius
- 2"x 3" lumber, vertical wood layout
- Limitless length (3 connected shown)



#### R520

- Built to your specification, 48" minimum inside radius
- Convex or concave orientation
- 2"x 3" lumber, vertical wood layout
- Limitless length (3 connected shown)



#### **521 AND 523 CONTINUOUS**

- Unlimited length in 6ft increments (3 connected shown)
- · Horizontal or vertical wood layouts
- 2"x 4" lumber



#### **528 ANGLE CONNECTOR**

- Unlimited length in 6ft increments (3 connected shown)
- 90 degree, 45 degree, 30 degree angle connectors
- Horizontal or vertical wood layouts
- 2"x 4" lumber

#### **520 AND 522 CONTINUOUS**

- Unlimited length in 6ft increments (3 connected shown)
- Horizontal or vertical wood layouts
- 2"x 4" lumber



#### **528 ANGLE CONNECTOR**

- Unlimited length in 6ft increments (2 connected shown)
- 90 degree, 45 degree, 30 degree angle connectors
- Horizontal or vertical wood layouts
- 2"x 4" lumber

#### WALL MOUNTED BENCHES

Wall mounted benches with all the same versatility and limitless combinations seen on continuous benches.



#### WR521

- 2"x 3" lumber
- Built to specification, 48" minimum inside radius
- Limitless length (3 connected shown)
- Wall mounted (wall not included)



#### W521 AND W523

- 2"x 4" lumber
- Unlimited length in 6ft increments (3 connected shown)
- Horizontal or vertical wood layouts
- Wall mounted (wall not included)



#### WR520

- 2"x 3" lumber
- Convex or concave orientation
- Built to specification, 48" minimum inside radius
- Limitless length (3 connected shown)
- Wall mounted (wall not included)



#### W520 AND W522

- 2"x 4" lumber
- Unlimited length in 6ft increments (3 connected shown)
- Horizontal or vertical wood layouts
- Wall mounted (wall not included)

#### SEAT ISLANDS

Large versatile shared seating platforms measuring twice the depth of a backless bench.



#### 524-38

- 38" x 38", 2"x 4" lumber
- Horizontal wood layout
- Full backrest available



524-76 • 38" x 77", 2"x 4"

- lumber
- Horizontal wood layout



524-76B

- 38" x 77", 2"x 4" lumber
- Horizontal wood layout
- Full or half backrest



#### U524-76

- 38" x 77", 2"x 4" lumber
- Horizontal wood layout

#### TABI F

Complimentary picnic style table utilizing standard backless benches.




#### 525-60

- 6' long, 2"x 4" lumber
- Horizontal wood layout



#### 525-663

- 6' long, 2"x 4" lumber
- ADA accessible
- Horizontal wood layout








# POST MOUNT BENCHES

Wood and recycled plastic post mount park style benches







#### 18.0625 —19.5"— 47"/59"/71"/95".


# **BENCH 88**

Douglas Fir slats 88-60D 6' LONG, 2 SUPPORTS, 181 LBS. 88-80D 8' LONG, 2 SUPPORTS, 213 LBS. **Recycled Plastic slats 88-40PL** 4' LONG, 2 SUPPORTS, 170 LBS. **88-50PL** 5' LONG, 2 SUPPORTS, 192 LBS. 88-60PL 6' LONG, 3 SUPPORTS, 257 LBS. 88-80PL 8' LONG, 3 SUPPORTS, 299 LBS. Add to unit price per end/center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

# **BENCH 103**


**Recycled Plastic slats** 103-40PL 4' LONG, 2 SUPPORTS, 116 LBS. 103-50PL 5' LONG, 2 SUPPORTS, 129 LBS. 103-60PL 6' LONG, 3 SUPPORTS, 175 LBS. 103-80PL 8' LONG, 3 SUPPORTS, 200 LBS. Add to unit price per end/center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)


#### MOUNTING OPTIONS






## POST MOUNT BENCHES









# BENCH 11/56

Douglas Fir slats **56-60D** 6' LONG, 2 SUPPORTS, 174 LBS. **56-80D** 8' LONG, 2 SUPPORTS, 210 LBS. Recycled Plastic slats

- **11-60PL** 6' LONG, 3 SUPPORTS, 223 LBS.
- **11-80PL** 8' LONG, 3 SUPPORTS, 265 LBS.


Add to unit price per end/center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

- 4" x 4" nominal slats
- 2.5" schedule 40 welded pipe supports

# BENCH 105

Douglas Fir slats **105-60D** 6' LONG, 2 SUPPORTS, 118 LBS. **105-80D** 8' LONG, 2 SUPPORTS, 142 LBS. Recycled Plastic slats **105-60PL** 6' LONG, 3 SUPPORTS, 153 LBS. **105-80PL** 8' LONG, 3 SUPPORTS, 180 LBS. Add to unit price per end/center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

MOUNTING OPTIONS







Douglas Fir slats **138-60D** 6' LONG, 2 SUPPORTS, 95 LBS. **138-80D** 8' LONG, 2 SUPPORTS, 114 LBS. Ipe slats

**138-60I** 6' LONG, 2 SUPPORTS, 129 LBS. **138-80I** 8' LONG, 2 SUPPORTS, 161 LBS. Thermally Modified Red Oak slats

138-60TMR 6' LONG, 2 SUPPORTS, 95 LBS.138-80TMR 8' LONG, 2 SUPPORTS, 114 LBS.Recycled Plastic slats

**138-60PL** 6' LONG, 3 SUPPORTS, 126 LBS. **138-80PL** 8' LONG, 3 SUPPORTS, 144 LBS. Add to unit price per end/center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)






Bench 139 Shown in Bronze finish/Grey plastic

## BENCH 139

Douglas Fir slats **139-60D** 6' LONG, 2 SUPPORTS, 67 LBS. **139-80D** 8' LONG, 2 SUPPORTS, 79 LBS. Ipe slats **139-60I** 6' LONG, 2 SUPPORTS, 90 LBS. **139-80I** 8' LONG, 2 SUPPORTS, 110 LBS. Thermally Modified Red Oak slats **139-60TMR** 6' LONG, 2 SUPPORTS, 67 LBS. **139-80TMR** 8' LONG, 2 SUPPORTS, 79 LBS. Recycled Plastic slats **139-60PL** 6' LONG, 3 SUPPORTS, 89 LBS. **139-80PL** 8' LONG, 3 SUPPORTS, 101 LBS. Add to unit price per end/center armrest


Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)





Bench 131-60PL Shown in Hunter Green finish/Cedar plastic







S-3 GULL WING S-4 SUB FLOOR

MOUNTING OPTIONS

S-1 S-2 EMBEDMENT SURFACE MOUNT

#### BENCH 34

BENCH 35/131 Douglas Fir slats

**Recycled Plastic slats** 

Floor (S-4)

**35-60D** 6' LONG, 2 SUPPORTS, 234 LBS. **35-80D** 8' LONG, 2 SUPPORTS, 267 LBS.

**131-60PL** 6' LONG, 3 SUPPORTS, 309 LBS. **131-80PL** 8' LONG, 3 SUPPORTS, 352 LBS. Add to unit price for center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub

• 3" x 1/2" welded steel end frames

Douglas Fir slats


**34-60D** 6' LONG, 2 SUPPORTS, 138 LBS. **34-80D** 8' LONG, 2 SUPPORTS, 158 LBS. Ipe slats


34-601 6' LONG, 2 SUPPORTS, 183 LBS.34-801 8' LONG, 2 SUPPORTS, 219 LBS.Thermally Modified Red Oak slats

**34-60TMR** 6' LONG, 138 LBS. **34-80TMR** 8' LONG, 158 LBS. Recycled Plastic slats

**34-60PL** 6' LONG, 3 SUPPORTS, 159 LBS. Wood Grain Recycled Plastic slats

**34-60TX** 6' LONG, 3 SUPPORTS , 159 LBS. Add to unit price per end/center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)








Douglas Fir slats **51-60D** 6' LONG, 2 SUPPORTS, 245 LBS. 51-80D 8' LONG, 2 SUPPORTS, 293 LBS. Add to unit price per end/center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

- 2" x 4" and 4" x 4" nominal slats
- Factory assembled seat

-26.375'







# **BENCH 39**

Douglas Fir slats 39-60D 6' LONG, 2 SUPPORTS, 170 LBS. 39-80D 8' LONG, 2 SUPPORTS, 199 LBS. Add to unit price per end/center armrest Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)

• 2" x 3" and 3" x 4" nominal slats






## POST MOUNT BENCHES



#### **BENCH 163**


Recycled Plastic slats **163-60PL** 6' LONG, 2 SUPPORTS, 158 LBS. **163-80PL** 8' LONG, 3 SUPPORTS, 220 LBS. Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4) • Factory assembled






# BENCH 37

Douglas Fir slats **37-60D** 6<sup>1</sup> LONG, 2 SUPPORTS, 165 LBS. **37-80D** 8<sup>1</sup> LONG, 2 SUPPORTS, 193 LBS. Mounting Options: Embedment (S-1), Surface Mount (S-2), Gull Wing (S-3), and Sub Floor (S-4)









# LITTER & RECYCLING RECEPTACLES

## **RECEPTACLE COVER OPTIONS**

Standard Cover

Add-On Cover Options









DM-DOME TOP

## SPLIT STREAM RECYCLING

#### 40-RC Split Liners and Recycle Lid

The "40-RC" denotation on the end of certain product numbers indicates the receptacle has two 20 gal. semicircle liners and a split material lid (as shown right).

- · The following receptacles can be purchased new with this option: 41, 70, 84, 87, 89, 102, 107, 148, 157, 158, 170, 200/300, and 432.
- · A split stream recycling retrofit kit can also be purchased for most existing DuMor units.



\*Vinyl lettering shown on recycling covers above is not available on any textured powder coat finishes.





84-22 22-GALLON, 139 LBS.
84-32 32-GALLON, 186 LBS.
84-40-RC 40-GALLON SPLIT STREAM RECYCLE, 195 LBS.
Emptying Method: Cable attached lift off lid emptying, HDPE liners

Listed Options | Additional Cover Options





## **RECEPTACLE 158**

158-22 22-GALLON, 186 LBS.

**158-22SH** 22-GALLON W/OPTIONAL STEEL SHIELD, 206 LBS. **158-32** 32-GALLON, 238 LBS.

158-32SH 32-GALLON W/OPTIONAL STEEL SHIELD, 266 LBS.
158-40-RC 40-GALLON SPLIT STREAM RECYCLE, 249 LBS.
158-40SHRC 40-GALLON SPLIT STREAM RECYCLE W/OPTION-AL STEEL SHIELD, 277 LBS.


Emptying Method: Cable attached lift off lid emptying, HDPE liners


Listed Options | Additional Cover Options





• Optional 18-gauge liner-concealing shield





- 30.125"------

\_\_\_\_\_33"\_\_\_\_





157-22 22-GALLON, 204 LBS.

157-225H 22-GALLON W/OPTIONAL STEEL SHIELD, 223 LBS. 157-32 32-GALLON, 249 LBS.

157-32SH 32-GALLON W/OPTIONAL STEEL SHIELD, 277 LBS. 157-40-RC 40-GALLON SPLIT STREAM RECYCLE, 259 LBS. 157-40SHRC 40-GAL.LON SPLIT STREAM RECYCLE W/OPTIONAL STEEL SHIELD, 287 LBS.


Emptying Method: Side door emptying, HDPE Liners


Additional Cover Options Listed Options





• Optional liner-concealing shield






33



Side door emptying





Side door emptying

# DUMOR.COM 73

**RECEPTACLE 438** 438-32 32-GALLON, 240 LBS. 438-325H 32-GALLON W/OPTIONAL STEEL SHIELD, 270 LBS. Emptying Method: Side door emptying, HDPE Liner Listed Options Additional Cover Options

Standard RC DM

• Optional liner-concealing shield






107-22 22-GALLON, 179 LBS. 107-32 32-GALLON, 257 LBS.


107-40-RC 40-GALLON SPLIT STREAM RECYCLE, 268 LBS. Emptying Method: Cable attached lift off lid emptying, HDPE liner Listed Options Additional Cover Options







**RECEPTACLE 87** 87-22 22-GALLON, 149 LBS. 87-32 32-GALLON, 192 LBS. 87-40-RC 40-GALLON SPLIT STREAM RECYCLE, 193 LBS. Emptying Method: Hinged cover, HDPE liner Listed Options Additional Cover Options











30.5625'

Hinged cover





**RECEPTACLE 432** 

432-22 22-GALLON, 103 LBS. 432-32 32-GALLON, 142 LBS. 432-40-RC 40-GALLON SPLIT STREAM RECYCLE, 150 LBS. 432-55 55-GALLON, 148 LBS.

Emptying Method: Cable attached lift off lid emptying, HDPE liner




40RC Split Stream

 $\mathbf{O}$ 

Standard



















286-32 32-GALLON, 224 LBS.

**286-32SH** 32-GALLON W/OPTIONAL STEEL SHIELD, 252 LBS. Emptying Method: Side door emptying, HDPE Liners

- Optional liner-concealing shield (shown)
- Recycle color coding and labeling available
- Labeling not available on any textured powder coat finishes
- Labeling located on band beneath cover

Cover Options






#### RECEPTACLE 287 287-32 32-GALLON, 240 LBS.

**287-325H** 32-GALLON W/OPTIONAL STEEL SHIELD, 268 LBS. Emptying Method: Side door emptying, HDPE Liners

- Optional liner-concealing shield (shown)
- Recycle color coding and labeling available
- Labeling not available on any textured powder coat finishes
- Labeling located on band beneath cover

Cover Options






🐴 RC2


4" x 12"

Labeling on Band: MIXED RECYCLING





Side door emptying





Side door emptying



436-40 TWO 20-GAL. LINERS, 239 LBS.

436-405H TWO 20-GAL. LINERS W/OPTIONAL STEEL SHIELD, 267 LBS.

- Emptying Method: Side door emptying, HDPE Liners
- Various color and hole shape combinations available
- Labeling not available on any textured powder coat finishes Hole Shape Options

#### 6 3/4" x 18" 2" x 12" 4" dia.



#### 437-40SH in Charcoal w/Recycle Color Cover with shield


## **RECEPTACLE 437**

437-40 TWO 20-GAL. LINERS, 273 LBS.

437-40SH TWO 20-GAL. LINERS W/OPTIONAL STEEL SHIELD, 301 LBS.


- Emptying Method: Side door emptying, HDPE Liners
- Various color and hole shape combinations available
- Labeling not available on any textured powder coat finishes Hole Shape Options







Side door emptying





Side door emptying







434-64 TWO OPENINGS, TWO 32-GAL. LINERS, 455 LBS. 434-64SH TWO OPENINGS, TWO 32-GAL. LINERS W/ SHIELD, 498 LBS.

434-72 THREE OPENINGS, ONE 32-GAL. & TWO 20-GAL. LINERS, 460 LBS.

434-72SH THREE OPENINGS, ONE 32-GAL. & TWO 20-GAL. LINERS W/SHIELD, 503 LBS.

434-80 FOUR OPENINGS, FOUR 20-GAL. LINERS, 464 LBS. 434-80SH FOUR OPENINGS, FOUR 20-GAL. LINERS W/ SHIELD, 507 LBS.

Emptying Method: Side door emptying, HDPE Liners Hole Shape Options



2 liner access doors

 Labeling not available on any textured powder coat finishes



## **RECEPTACLE 435**

435-64 TWO OPENINGS, TWO 32-GAL. LINERS, 520 LBS. 435-64SH TWO OPENINGS, TWO 32-GAL. LINERS W/ SHIELD, 563 LBS.

435-72 THREE OPENINGS, ONE 32-GAL. & TWO 20-GAL. LINERS, 525 LBS.

435-72SH THREE OPENINGS, ONE 32-GAL. & TWO 20-GAL. LINERS W/SHIELD, 568 LBS.

435-80 FOUR OPENINGS, FOUR 20-GAL. LINERS, 529 LBS. 435-80SH FOUR OPENINGS, FOUR 20-GAL. LINERS W/ SHIELD, 573 LBS.


Emptying Method: Side door emptying, HDPE Liners Hole Shape Options



2 liner access doors

 Labeling not available on any textured powder coat finishes





Side door emptying

### LITTER & RECYCLING RECEPTACLES

#### **RECEPTACLE 170**

170-32 32-GALLON, 126 LBS. 170-40-RC 40-GALLON SPLIT STREAM RECYCLE, 140 LBS.

Emptying Method: Hinged cover, HDPE liner Listed Options Additional Cover Options

6  $\sim$ *40RC* Split Stream Standard






**RECEPTACLE 41** 

Douglas Fir slats 41-22D 22-GALLON, 88 LBS. 41-32D 32-GALLON, 113 LBS. 41-40D-RC 40-GALLON, SPLIT STREAM RECYCLE, 122 LBS. lpe slats 41-22I 22-GALLON, 116 LBS. 41-32I 32-GALLON, 151 LBS. 41-40I-RC 40-GALLON SPLIT STREAM RECYCLE, 160 LBS. Thermally Modified Red Oak slats 41-22TMR 22-GALLON, 88 LBS. 41-32TMR 32-GALLON, 113 LBS. 41-40TMR-RC 40-GALLON SPLIT STREAM RECYCLE, 122 LBS. **Recycled Plastic slats** 41-22PL 22-GALLON , 94 LBS. 41-32PL 32-GALLON, 120 LBS.

41-40PL-RC 40-GALLON SPLIT STREAM RECYCLE, 129 LBS. Mounting Options: Embedment (S-1) and Surface Mount (S-2) Additional Cover Options





D



S-1 S-2 EMBEDMENT SURFACE MOUNT

MOUNTING OPTIONS





DUMOR.COM 79



Top Deposit

70-22D 22-GAL., DOUGLAS FIR, 109 LBS. 70-221 22-GAL., IPE, 154 LBS. 70-22TMR 22-GAL., THERM MODIFIED OAK, 117 LBS. 70-22PL 22-GAL., RECYCLED PLASTIC, 119 LBS. 70-22TX 22-GAL., WG RECYCLED PLASTIC, 119 LBS. 70-32TD 32-GAL., DOUGLAS FIR, 118 LBS. 70-32TI 32-GAL., IPE, 154 LBS. 70-32TTMR 32-GAL., THERM MODIFIED OAK, 130 LBS. 70-32TPL 32-GAL., RECYCLED PLASTIC, 128 LBS. 70-32TTX 32-GAL., WG RECYCLED PLASTIC, 128 LBS. 70-40D 40-GAL., SPLIT STREAM RECYCLE, DOUGLAS FIR, 153 LBS. 70-40I 40-GAL., SPLIT STREAM RECYCLE, IPE, 214 LBS. 70-40TMR 40-GAL., SPLIT STREAM RECYCLE, THERM MODIFIED OAK, 154 LBS. 70-40PL 40-GAL., SPLIT STREAM RECYCLE, RECYCLED PLASTIC, 169 LBS.

**70-40TX** 40-GAL., SPLIT STREAM RECYCLE, WG RECYCLED PLASTIC, 165 LBS.

Side Deposit

**70-22D-SO** 22-GAL., DOUGLAS FIR, 120 LBS. **70-22I-SO** 22-GAL., IPE, 176 LBS.

70-22TMR-SO 22-GAL., THERM MODIFIED OAK, 147 LBS.
70-22PL-SO 22-GAL., RECYCLED PLASTIC, 133 LBS.
70-22TX-SO 22-GAL., WG RECYCLED PLASTIC, 133 LBS.
70-32TD-SO 32-GAL., DOUGLAS FIR, 135 LBS.
70-32TI-SO 32-GAL., IPE, 201 LBS.

70-32TTMR-SO 32-GAL., THERM MODIFIED OAK, 147 LBS. 70-32TPL-SO 32-GAL., RECYCLED PLASTIC, 147 LBS. 70-32TTX-SO 32-GAL., WG RECYCLED PLASTIC, 147 LBS. 70-40D-SO 40-GAL. SPLIT STREAM RECYCLE, DOUGLAS FIR, 185 LBS.

**70-40I-SO** 40-GAL., SPLIT STREAM RECYCLE, IPE, 257 LBS. **70-40TMR-SO** 40-GAL., SPLIT STREAM RECYCLE, THERM MODIFIED OAK, 197 LBS.


**70-40PL-SO** 40-GAL., SPLIT STREAM RECYCLE, RECYCLED PLASTIC, 200 LBS.

**70-40TX-SO** 40-GAL., SPLIT STREAM RECYCLE, WG RECYCLED PLASTIC, 200 LBS.


Listed Options Additional Cover Options




dditional Cover Option RC BT DM DM











80 DUMOR INC.

----- 25.375

## LITTER & RECYCLING RECEPTACLES

## PERSONALIZED RECEPTACLE 200/300

The "200" and "300" series receptacles allow custom laser cut designs to be emblazoned onto the side of the receptacle.

200 SERIES 32-GALLON PERSONALIZED RECEPTACLE WITH STEEL SHIELD, TOP EMPTYING

300 SERIES 32-GALLON PERSONALIZED RECEPTACLE WITH STEEL SHIELD, SIDE DOOR EMPTYING

Standard Cover Additional Cover Options






Note: Available with 40 RC split liners and recycle lid. Contact your local DuMor Representative for pricing









300 Series side opening door







RECEPTACLES FOUND IN THE COLLECTIONS SECTION



p. 15



p. 19



p. 23



p. 25



p. 29



p. 41



р. 43



p. 45



p. 51





p.53







# CHAIRS AND TABLES





#### CHAIR 510

Without Armrests

510-20INA CHAIR, IPE SEAT, W/O ARMS, 21 LBS.

**510-20TMRNA** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 20 LBS. **510-20TXNA** CHAIR, WOOD GRAIN RECYCLED PLASTIC SEAT, W/O ARMS, 17 LBS. With Armrests

510-201 CHAIR, IPE SEAT, W/ARMS, 23 LBS.

**510-20TMR** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 22 LBS. **510-20TX** CHAIR, WOOD GRAIN RECYCLED PLASTIC SEAT, W/ARMS, 20 LBS.

- Welded aluminum
- Stackable



#### CHAIRS AND TABLES



Wood or Recycled Plastic lumber

Solid Metal

Laser cut





## TABLE 514

514-301 30" TABLE, IPE, 79 LBS. **514-30TMR** 30" TABLE, THERMALLY MODIFIED RED OAK, 77 LBS. 514-30TX 30" TABLE, WOOD GRAIN RECYCLED PLASTIC, 72 LBS. 514-30HS 30" TABLE, LASER CUT METAL, 119 LBS. 514-305 30" TABLE, SOLID METAL, 119 LBS. 514-501 5' TABLE, IPE, 130 LBS. 514-50TMR 5' TABLE, THERMALLY MODIFIED RED OAK, 125 LBS. 514-50TX 5' TABLE, WOOD GRAIN RECYCLED PLASTIC, 115 LBS. 514-50HS 5' TABLE, LASER CUT METAL, 254 LBS. 514-505 5' TABLE, SOLID METAL, 262 LBS. • Steel table frame

#### **TABLE 485**

485-301 30" TABLE, IPE, 81 LBS.

485-30TMR 30" TABLE, THERMALLY MODIFIED RED OAK, 81 LBS. 485-30TX 30" TABLE, WOOD GRAIN RECYCLED PLASTIC, 75 LBS. 485-30 30" TABLE, STEEL, 93 LBS.

## • Steel table base


**BENCH 513** 513-401 4' BENCH, IPE SEAT, 40 LBS. 513-40TMR 4' BENCH, THERMALLY MODIFIED RED OAK, 38 LBS. 513-40TX 4' BENCH, WOOD GRAIN RECYCLED PLASTIC SEAT,

34 LBS.

• Welded aluminum

Ø30"Tabletop





17.3125 -17.3125"-50.875"-



## **CHAIR 512**

Without Armrests

512-20INA LOUNGE CHAIR, IPE SEAT, W/O ARMS, 23 LBS.

512-20TMRNA LOUNGE CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 22 LBS. 512-20TXNA LOUNGE CHAIR, WOOD GRAIN RECYCLED PLASTIC SEAT, W/O ARMS, 19 LBS. 512-40INA 4' LOUNGE BENCH, IPE SEAT, W/O ARMS, 53 LBS.

512-40TMRNA 4' LOUNGE BENCH, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 51 LBS. 512-40TXNA 4' LOUNGE BENCH, WOOD GRAIN RECYCLED PLASTIC SEAT, W/O ARMS, 42 LBS. With Armrests

512-20I LOUNGE CHAIR, IPE SEAT, W/ARMS, 26 LBS.

512-20TMR LOUNGE CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 25 LBS. 512-20TX LOUNGE CHAIR, WOOD GRAIN RECYCLED PLASTIC SEAT, W/ARMS, 22 LBS. 512-401 4' LOUNGE BENCH, IPE SEAT, W/ARMS, 55 LBS.

512-40TMR 4' LOUNGE BENCH, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 53 LBS. 512-40TX 4' LOUNGE BENCH, WOOD GRAIN RECYCLED PLASTIC SEAT, W/ARMS, 44 LBS.


• Welded aluminum

#### **TABLE 516**

516-401 4' COFFEE TABLE, IPE, 76 LBS. 516-40TMR 4' COFFEE TABLE, T.M. RED OAK SEAT, 73 LBS. 516-40TX 4' COFFEE TABLE, W.G. RECYCLED PLASTIC, 69 LBS. 516-40HS 4' COFFEE TABLE, LASER CUT METAL, 150 LBS. 516-405 4' COFFEE TABLE, SOLID METAL, 154 LBS.

















-24.4375'



## **STOOL 511**

511-201 BAR HEIGHT STOOL, IPE SEAT, 19 LBS. 511-20TMR BAR HEIGHT STOOL, THERMALLY MODIFIED RED OAK SEAT, 18 LBS. 511-20TX BAR HEIGHT STOOL, WOOD GRAIN RECYCLED PLASTIC SEAT, 17 LBS.

- Welded aluminum
- 29.5" seat height
- Stackable

## **TABLE 515**

**515-50I** 5' BAR HEIGHT TABLE, IPE, 152 LBS.

515-50TMR 5' BAR HEIGHT TABLE, THERMALLY MODIFIED RED OAK SEAT, 147 LBS.

515-50TX 5' BAR HEIGHT TABLE, WOOD GRAIN RECYCLED PLASTIC, 137 LBS.

**515-50HS** 5' BAR HEIGHT TABLE, LASER CUT METAL, 276 LBS. 515-505 5' BAR HEIGHT TABLE, SOLID METAL, 284 LBS.

• 42" tall steel table










Wood or Recycled Plastic lumber

Solid Metal

Laser Cut







59"-







#### CHAIR 483

**483-20INA** CHAIR, IPE SEAT, W/O ARMRESTS, 31 LBS. **483-20I** CHAIR, IPE SEAT, W/ARMRESTS, 34 LBS. **483-20TMRNA** CHAIR THERMALLY MODIFIED RED OAK SEAT W


**483-20TMRNA** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMRESTS, 56 LBS.

**483-20TMR** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMRESTS, 63 LBS. **483-20HSNA** CHAIR, STEEL SEAT, W/O ARMRESTS, 33 LBS.

**483-20HS** CHAIR, STEEL SEAT, W/ARMRESTS, 36 LBS.


• All-welded construction steel chair

Stackable









Ø30"Tabletop

Ø36.25 "Tabletop



 TABLE 484

 **484-30** 30" TABLE, STEEL, 57 LBS.

 **484-36** 36" TABLE, STEEL, 73 LBS.

 **484-30PL** 30" TABLE, RECYCLED PLASTIC, 61 LBS.

 **484-36PL** 36" TABLE, RECYCLED PLASTIC, 67 LBS.

• Optional contrasting colors

88 DUMOR INC.

#### CHAIRS AND TABLES









**TABLE 482** 

482-36 36" TABLE, STEEL, 101 LBS.

482-42 42" TABLE, STEEL, 114 LBS.

• Umbrella hole upon request, additional cost

#### CHAIR 481


With Armrests **481-20HS** CHAIR, STEEL SEAT, W/ARMS, 61 LBS. **481-20I** CHAIR, IPE SEAT, W/ARMS, 64 LBS. **481-20TMR** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/ARMS, 63 LBS. **481-20TX** CHAIR, W.G. RECYCLED PLASTIC, W/ARMS, 54 LBS. Without Armrests **481-20HSNA** CHAIR, STEEL SEAT, W/O ARMS, 54 LBS.

481-20INA CHAIR, IPE SEAT, W/O ARMS, 57 LBS.

**481-20TMRNA** CHAIR, THERMALLY MODIFIED RED OAK SEAT, W/O ARMS, 56LBS. **481-20TXNA** CHAIR, W.G. RECYCLED PLASTIC, W/O ARMS, 47 LBS.







Ø36.25"Tabletop

.



Ipe Seats

296-36-201 36" TABLE, 2 SEATS, IPE, 200 LBS.
296-36-401 36" TABLE, 4 SEATS, IPE, 300 LBS.
296-42-201 ADA ACCESSIBLE 42" TABLE, 2 SEATS, 213 LBS.
296-42-301 ADA ACCESSIBLE 42" TABLE, 3 SEATS, 263 LBS.
296-42-401 42" TABLE, 4 SEATS, IPE, 313 LBS.
Thermally Modified Red Oak Seats

296-36-20TMR 36" TABLE, 2 SEATS, TM RED OAK, 194 LBS.
296-36-40TMR 36" TABLE, 4 SEATS, TM RED OAK, 290 LBS.
296-42-20TMR ADA ACCESSIBLE 42" TABLE, 2 SEATS, 203 LBS.
296-42-30TMR ADA ACCESSIBLE 42" TABLE, 3 SEATS, 249 LBS.
296-42-40TMR 42" TABLE, 4 SEATS, TM RED OAK, 294 LBS.
Wood Grain Recycled Plastic Seats

 296-36-20TX
 36" TABLE, 2 SEATS, WG PLASTIC, 190 LBS.

 296-36-40TX
 36" TABLE, 4 SEATS, WG PLASTIC, 281 LBS.

 296-42-20TX
 ADA ACCESSIBLE 42" TABLE, 2 SEATS, 203 LBS.

 296-42-30TX
 ADA ACCESSIBLE 42" TABLE, 3 SEATS, 249 LBS.

 296-42-40TX
 42" TABLE, 4 SEATS, WG PLASTIC, 294 LBS.

Steel Seats

 296-36-20HS
 36" TABLE, 2 SEATS, STEEL, 200 LBS.

 296-36-40HS
 36" TABLE, 4 SEATS, STEEL, 301 LBS.


 296-42-20HS
 ADA ACCESSIBLE 42" TABLE, 2 SEATS, 213 LBS.

 296-42-30HS
 ADA ACCESSIBLE 42" TABLE, 3 SEATS, 264 LBS.

 296-42-40HS
 42" TABLE, 4 SEATS, STEEL, 314 LBS.


 Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

• Umbrella hole upon request, additional cost





296 Wood Seat or Plastic





Ipe Seats

**297-36-201** 36" TABLE, 2 SEATS, IPE, 170 LBS. **297-36-401** 36" TABLE, 4 SEATS, IPE, 240 LBS. **297-42-201** ADA ACCESSIBLE 42" TABLE, 2 SEATS, 182 LBS. **297-42-301** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 218 LBS. **297-42-401** 42" TABLE, 4 SEATS, IPE, 253 LBS. Thermally Modified Red Oak Seats

297-36-20TMR 36" TABLE, 2 SEATS, TM RED OAK, 190 LBS.
297-36-40TMR 36" TABLE, 4 SEATS, TM RED OAK, 281 LBS.
297-42-20TMR ADA ACCESSIBLE 42" TABLE, 2 SEATS, 203 LBS.
297-42-30TMR ADA ACCESSIBLE 42" TABLE, 3 SEATS, 249 LBS.
297-42-40TMR 42" TABLE, 4 SEATS, TM RED OAK, 294 LBS.
Wood Grain Recycled Plastic Seats


297-36-20TX 36" TABLE, 2 SEATS, WG PLASTIC, 165 LBS.
297-36-40TX 36" TABLE, 4 SEATS, WG PLASTIC, 230 LBS.
297-42-20TX ADA ACCESSIBLE 42" TABLE, 2 SEATS, 178 LBS.
297-42-30TX ADA ACCESSIBLE 42" TABLE, 3 SEATS, 211 LBS.
297-42-40TX 42" TABLE, 4 SEATS, WG PLASTIC, 243 LBS.

Steel Seats


297-36-20HS 36" TABLE, 2 SEATS, STEEL, 172 LBS.
297-36-40HS 36" TABLE, 4 SEATS, STEEL, 244 LBS.
297-42-20HS ADA ACCESSIBLE 42" TABLE, 2 SEATS, 184 LBS.
297-42-30HS ADA ACCESSIBLE 42" TABLE, 3 SEATS, 221 LBS.
297-42-40HS 42" TABLE, 4 SEATS, STEEL, 257 LBS.
Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)

SUB FLOOR

• Umbrella hole upon request, additional cost









## TABLE SET 299

Ipe Surfaces 299-601 6' LONG TABLE SET, IPE, 568 LBS. 299-60-11 ADA ACCESSIBLE TABLE SET, IPE, 556 LBS. 299-661 6' TABLE SET, 6 SEATS, IPE, 687 LBS. Thermally Modified Red Oak Surfaces 299-60TMR 6' LONG TABLE SET, TM RED OAK, 506 LBS. 299-60-1TMR ADA ACCESSIBLE TABLE SET, TM RED OAK, 518 LBS. 299-66TMR 6' TABLE SET, 6 SEATS, TM RED OAK, 637 LBS. **Recycled Plastic Surfaces** 299-60PL 6' LONG TABLE SET, RECYCLED PLASTIC, 515 LBS. 299-60-1PL ADA ACCESSIBLE TABLE SET, RECYCLED PLASTIC, 509 LBS. 299-66PL 6' TABLE SET, 6 SEATS, RECYCLED PLASTIC, 642 LBS. Wood Grain Recycled Plastic Surfaces **299-60TX** 6' LONG TABLE SET, WOOD GRAIN PLASTIC, 515 LBS. 299-60-1TX ADA ACCESSIBLE TABLE SET, WOOD GRAIN PLASTIC, 509 LBS. 299-66TX 6' TABLE SET, 6 SEATS, WOOD GRAIN PLASTIC, 642 LBS. Steel Surfaces 299-60HS 6' LONG TABLE SET, STEEL, 540 LBS.

299-60-1HS ADA ACCESSIBLE TABLE SET, STEEL, 531 LBS. 299-66HS 6' TABLE SET, 6 SEATS, STEEL, 661 LBS.

Mounting Options: Embedment (S-1), Surface Mount (S-2), and Free Standing (S-5)

• Umbrella hole upon request, additional cost





Ipe, Thermally Modified Red Oak, or Recycled Plastic

MOUNTING OPTIONS











#### CHAIRS AND TABLES



## TABLE SET 298


Ipe Surfaces 298-601 6' LONG TABLE SET, IPE, 500 LBS. 298-60-21 ADA ACCESSIBLE TABLE SET, IPE, 500 LBS. Thermally Modified Red Oak Surfaces 298-60TMR 6' LONG TABLE SET, TM RED OAK, 450LBS. 298-60-2TMR ADA ACCESSIBLE TABLE SET, TM RED OAK, 450 LBS. Recycled Plastic Surfaces 298-60PL 6' LONG TABLE SET, RECYCLED PLASTIC, 447 LBS. 298-60-2PL ADA ACCESSIBLE TABLE SET, RECYCLED PLASTIC, 447 LBS. Wood Grain Recycled Plastic Surfaces 298-60TX 6' LONG TABLE SET, WOOD GRAIN PLASTIC, 447 LBS. 298-60-2TX ADA ACCESSIBLE TABLE SET, WOOD GRAIN PLASTIC, 447 LBS. Steel Surfaces 298-60HS 6' LONG TABLE SET, STEEL, 472 LBS. 298-60HS 6' LONG TABLE SET, STEEL, 472 LBS.

298-60-2HS ADA ACCESSIBLE TABLE SET, STEEL, 472 LBS.
Support Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4)
Umbrella hole upon request, additional cost





Ipe, Thermally Modified Red Oak, or Recycled Plastic

MOUNTING OPTIONS




















Ipe Seats

294-301 ADA ACCESSIBLE 42" TABLE, 3 SEATS, 286 LBS.
294-401 42" TABLE, 4 SEATS, IPE, 328 LBS.
294-501 42" TABLE, 5 SEATS, IPE, 394 LBS.
294-601 42" TABLE, 6 SEATS, IPE, 459 LBS.
Thermally Modified Red Oak Seats
294-30TMR ADA ACCESSIBLE 42" TABLE, 3 SEATS, 280 LBS.
294-40TMR 42" TABLE, 4 SEATS, TM RED OAK, 319 LBS.
294-50TMR 42" TABLE, 5 SEATS, TM RED OAK, 383 LBS.
294-60TMR 42" TABLE, 6 SEATS, TM RED OAK, 456 LBS.



Wood Grain Recycled Plastic Seats

 294-30TX
 ADA ACCESSIBLE 42" TABLE, 3 SEATS, 272 LBS.


 294-40TX
 42" TABLE, 4 SEATS, WG PLASTIC, 308 LBS.

 294-50TX
 42" TABLE, 5 SEATS, WG PLASTIC, 370 LBS.


 294-60TX
 42" TABLE, 6 SEATS, WG PLASTIC, 430 LBS.

 Steel Seats
 Steel Seats

294-30HS ADA ACCESSIBLE 42" TABLE, 3 SEATS, 287 LBS.
294-40HS 42" TABLE, 4 SEATS, STEEL, 328 LBS.
294-50HS 42" TABLE, 5 SEATS, STEEL, 396 LBS.
294-60HS 42" TABLE, 6 SEATS, STEEL, 460 LBS.
Umbrella hole upon request, additional cost




#### CHAIRS AND TABLES



#### TABLE 295


Ipe Seats 295-301 ADA ACCESSIBLE 42" TABLE, 3 SEATS, 241 LBS. 295-401 42" TABLE, 4 SEATS, IPE, 268 LBS. 295-501 42" TABLE, 5 SEATS, IPE, 318 LBS. 295-601 42" TABLE, 6 SEATS, IPE, 368 LBS. Thermally Modified Red Oak Seats 295-30TMR ADA ACCESSIBLE 42" TABLE, 3 SEATS, 236 LBS. 295-40TMR 42" TABLE, 4 SEATS, TM RED OAK, 260 LBS. 295-50TMR 42" TABLE, 5 SEATS, TM RED OAK, 309 LBS. 295-60TMR 42" TABLE, 6 SEATS, TM RED OAK, 356 LBS. Wood Grain Recycled Plastic Seats **295-30TX** ADA ACCESSIBLE 42" TABLE, 3 SEATS, 234 LBS. 295-40TX 42" TABLE, 4 SEATS, WG PLASTIC, 259 LBS. 295-50TX 42" TABLE, 5 SEATS, WG PLASTIC, 306 LBS. 295-60TX 42" TABLE, 6 SEATS, WG PLASTIC, 354 LBS.



Steel Seats

295-30HS ADA ACCESSIBLE 42" TABLE, 3 SEATS, 244 LBS.
295-40HS 42" TABLE, 4 SEATS, STEEL, 272 LBS.
295-50HS 42" TABLE, 5 SEATS, STEEL, 323 LBS.
295-60HS 42" TABLE, 6 SEATS, STEEL, 374 LBS.
• Umbrella hole upon request, additional cost









TABLE 101
101-20 TABLE, 2 SEATS, 242 LBS.
101-30 ADA ACCESSIBLE TABLE, 3 SEATS, 297 LBS.
101-40 TABLE, 4 SEATS, 344 LBS.
Umbrella hole upon request, additional cost







448-32 TABLE, 35-1/2" SQ, 2 SEATS, 287 LBS. 448-33 TABLE, 35-1/2" SQ, 3 SEATS, 337 LBS. 448-34 TABLE, 35-1/2" SQ, 4 SEATS, 387 LBS. 448-42 ADA TABLE, 47-1/2" SQ, 2 SEATS, 414 LBS.

448-43 ADA TABLE, 47-1/2" SQ, 3 SEATS, 476 LBS.

448-44 TABLE, 47-1/2" SQ, 4 SEATS, 538 LBS.

For optional game board, additional cost

Mounting Options: Embedment (S-1), Surface Mount (S-2)\*, and Sub Floor (S-4)\*

\* For options S-2 and S-4, additional cost


• Umbrella hole upon request, additional cost




MOUNTING OPTIONS







35.5" SQ Tabletop





Douglas Fir slats **76-22D** ADA, 2 SEATS, 2" X 4" SLATS, 296 LBS. **76-32D** ADA, 2 SEATS, 3" X 4" SLATS, 358 LBS. **76-33D** ADA, 3 SEATS, 2" X 4" SLATS, 356 LBS. **76-33D** ADA, 3 SEATS, 3" X 4" SLATS, 427 LBS. **76-34D** 4 SEATS, 2" X 4" SLATS, 416 LBS. **76-34D** 4 SEATS, 3" X 4" SLATS, 496 LBS. Ipe slats


76-221 ADA, 2 SEATS, 2" X 4" SLATS, 366 LBS.
76-231 ADA, 3 SEATS, 2" X 4" SLATS, 437 LBS.
76-241 4 SEATS, 2" X 4" SLATS, 507 LBS.
Thermally Modified Red Oak slats
76-22TMR ADA, 2 SEATS, 2" X 4" SLATS, 296 LBS.

**76-23TMR** ADA, 3 SEATS, 2" X 4" SLATS, 356 LBS. **76-24TMR** 4 SEATS, 2" X 4" SLATS, 416 LBS.

#### **Recycled Plastic slats**

76-22PL ADA, 2 SEATS, 2" X 4" SLATS, 333 LBS.
76-32PL ADA, 2 SEATS, 3" X 4" SLATS, 386 LBS.
76-23PL ADA, 3 SEATS, 2" X 4" SLATS, 398 LBS.
76-33PL ADA, 3 SEATS, 3" X 4" SLATS, 459 LBS.
76-34PL 4 SEATS, 2" X 4" SLATS, 462 LBS.
76-34PL 4 SEATS, 3" X 4" SLATS, 531 LBS.
Wood Grain Recycled Plastic slats
76-22TX ADA, 2 SEATS, 2" X 4" SLATS, 333 LBS.
76-23TX ADA, 3 SEATS, 2" X 4" SLATS, 398 LBS.
76-24TX 4 SEATS, 2" X 4" SLATS, 333 LBS.
76-24TX 4 SEATS, 2" X 4" SLATS, 462 LBS.
Mounting Options: Embedment (S-1), Surface Mount (S-2)\*, and Sub Floor (S-4)\*
\* For options S-2 and S-4, additional cost
Umbrella hole upon request, additional cost

• Four foot square table top







Game Board


## GAME TABLE 78

Douglas Fir slats

78-32D 2 SEATS, 3" X 4" SLATS, 233 LBS. 78-33ADAD ADA ACCESSIBLE, 3 SEATS, 318 LBS. 78-34D 4 SEATS, 3" X 4" SLATS, 368 LBS. **Recycled Plastic slats** 78-32PL 2 SEATS, 3" X 4" SLATS, 245 LBS.

78-33ADAPL ADA ACCESSIBLE, 3 SEATS, 335 LBS. 78-34PL 4 SEATS, 3" X 4" SLATS, 387 LBS. Mounting Options: Embedment (S-1), Surface Mount (S-2)\*, and Sub Floor (S-4)\*

- \* For options S-2 and S-4, additional cost
- Umbrella hole upon request, additional cost



MOUNTING OPTIONS




S-4 SUB FLOOR



Table 464-60VS 6' TABLE, VERTICAL STRAP, 370 LBS. 464-60HS 6' TABLE, HORIZONTAL STRAP, 449 LBS. 464-60RB 6' TABLE, ROUND BAR, 410 LBS. 464-60D 6' TABLE, DOUGLAS FIR, 363 LBS. 464-601 6' TABLE, IPE, 420 LBS. 464-60TMR 6' TABLE, THERMALLY MODIFIED RED OAK, 363 LBS. 464-60PL 6' TABLE, RECYCLED PLASTIC, 382 LBS. 464-60TX 6' TABLE, WOOD GRAIN RECYCLED PLASTIC, 382 LBS. ADA Accessible Table 464-68VS ADA ACCESSIBLE TABLE, VERTICAL STRAP, 404 LBS. 464-68HS ADA ACCESSIBLE TABLE, HORIZONTAL STRAP, 491 LBS. 464-68RB ADA ACCESSIBLE TABLE, ROUND BAR, 447 LBS. 464-68D ADA ACCESSIBLE TABLE, DOUGLAS FIR, 394 LBS. 464-681 ADA ACCESSIBLE TABLE, IPE, 462 LBS. 464-68TMR ADA ACCESSIBLE TABLE, THERMALLY MODIFIED RED OAK, 394 LBS.

464-68TMR ADA ACCESSIBLE TABLE, THERMALLY MODIFIED RED OAK, 394 LBS.
464-68PL ADA ACCESSIBLE TABLE, RECYCLED PLASTIC, 411 LBS.
464-68TX ADA ACCESSIBLE TABLE, WOOD GRAIN RECYCLED PLASTIC, 411 LBS.







Vertical Strap

Horizontal Strap



Round Bar

lpe, Douglas Fir, Thermally Modified Red Oak



Traditional and Wood Grain Recycled Plastic






Two Seats

463-20VS 42" DIA. TABLE, 2 SEATS, VERTICAL STRAP, 291 LBS.
463-20HS 42" DIA. TABLE, 2 SEATS, HORIZONTAL STRAP, 315 LBS.
463-20B 42" DIA. TABLE, 2 SEATS, ROUND BAR, 307 LBS.
463-20D 42" DIA. TABLE, 2 SEATS, DOUGLAS FIR, 301 LBS.
463-20TMR 42" DIA. TABLE, 2 SEATS, IPE, 311 LBS.
463-20TMR 42" DIA. TABLE, 2 SEATS, THERMALLY MODIFIED RED OAK, 301 LBS.
463-20PL 42" DIA. TABLE, 2 SEATS, RECYCLED PLASTIC, 302 LBS.
463-20TX 42" DIA. TABLE, 2 SEATS, VERTICAL STRAP, 406 LBS.
463-40VS 42" DIA. TABLE, 4 SEATS, HORIZONTAL STRAP, 454 LBS.
463-40RB 42" DIA. TABLE, 4 SEATS, ROUND BAR, 442 LBS.
463-40D 42" DIA. TABLE, 4 SEATS, DOUGLAS FIR, 425 LBS.

**463-40I** 42" DIA. TABLE, 4 SEATS, IPE, 444 LBS.

**463-40TMR** 42" DIA. TABLE, 4 SEATS, THERMALLY MODIFIED RED OAK, 425 LBS. **463-40PL** 42" DIA. TABLE, 4 SEATS, RECYCLED PLASTIC, 427 LBS.

**463-40TX** 42" DIA. TABLE, 4 SEATS, WOOD GRAIN RECYCLED PLASTIC, 427 LBS.







Vertical Strap

Horizontal Strap



Round Bar

lpe, Douglas Fir, Thermally Modified Red Oak





Traditional and Wood Grain Recycled Plastic




TABLE SET 75/100 Douglas Fir slats 75-60D 6' TABLE, 507 LBS. 75-80D 8' TABLE, 570 LBS. 75-68-1D ADA ACCESSIBLE TABLE, 544 LBS. Recycled Plastic slats 100-60PL 6' TABLE, 603 LBS. 100-80PL 8' TABLE, 695 LBS. 100-68-1PL ADA ACCESSIBLE TABLE, 654 LBS. Mounting Options: Embedment (S-1), Surface Mount (S-2), and Sub Floor (S-4) • Umbrella hole upon request, additional cost P5-60D Shown in Bronze finish

MOUNTING OPTIONS







#### CHAIRS AND TABLES



#### TABLE 72

• 2-3/8" O.D. galvanized steel frames

• 2" x 10" nominal top and seats (see chart for sizes and material)

Special frames for Recycled Plastic
Umbrella hole upon request, additional cost



#### TABLE 71

1-5/8" O.D. steel pipe frames
2" x 10" nominal top and seats (see chart for sizes and material)
Special frames for Recycled Plastic

• Umbrella hole upon request,

additional cost



#### TABLE 77

Γ

• 2-3/8" O.D. steel pipe frames

 $\bullet$  2" x 10" nominal top and seats

(see chart for sizes and material)

- Special frames for Recycled Plastic
- Umbrella hole upon request,
- additional cost

\*When purchasing 77 Series Frames, please indicate 6' or 8' lumber.

	GALVANIZED FRAME	POWDER COAT FRAME	HOT GALVANIZED FRAME	POWDER COAT FRAME	HOT GALVANIZED FRAME
6' Douglas Fir	72-60D	71-60D	71-60HGD	77-60D	77-60HGD
	205 lbs.	170 lbs.	170 lbs.	213 lbs.	213 lbs.
8' Douglas Fir	72-80D	71-80D	71-80HGD	77-80D	77-80HGD
	241 lbs.	206 lbs.	206 lbs.	251 lbs.	251 lbs.
ADA Accessible, Douglas Fir	72-68-1D	71-68-1D	71-68-1HGD	77-68-1D	77-68-1HGD
	227 lbs.	191 lbs.	191 lbs.	234 lbs.	234 lbs.
6' Aluminum	72-60A	71-60A	71-60HGA	77-60A	77-60HGA
	148 lbs.	112 lbs.	112 lbs.	153 lbs.	153 lbs.
8' Aluminum	72-80A	71-80A	71-80HGA	77-80A	77-80HGA
	161 lbs.	125 lbs.	125 lbs.	168 lbs.	168 lbs.
ADA Accessible, Aluminum	72-68-1A	71-68-1A	71-68-1HGA	77-68-1A	77-68-1HGA
	160 lbs.	123 lbs.	123 lbs.	164 lbs.	164 lbs.
6' Recycled Plastic	72-60PL	71-60PL	71-60HGPL	77-60PL	77-60HGPL
	279 lbs.	243 lbs.	243 lbs.	284 lbs.	284 lbs.
8' Recycled Plastic	72-80PL	71-80PL	71-80HGPL	77-80PL	77-80HGPL
	328 lbs.	292 lbs.	292 lbs.	334 lbs.	334 lbs.
ADA Accessible, Recycled Plastic	72-68-1PL	71-68-1PL	71-68-1HGPL	77-68-1PL	77-68-1HGPL
	321 lbs.	284 lbs.	284 lbs.	324 lbs.	324 lbs.
Frames and Hardware Only	72-20	71-20	71-20HG	77-20	77-20HG
	102 lbs.	67 lbs.	67 lbs.	111 lbs.	111 lbs.



## TABLE 156

Recycled Plastic slats **156-60PL** 6<sup>1</sup>, TABLE, 187 LBS. **156-80PL** 8<sup>1</sup>, TABLE, 234 LBS. **156-68-1PL** ADA ACCESSI-BLE PICNIC TABLE, 214 LBS. For powder coated frames, additional cost

Aluminum frame

• Umbrella hole upon request, additional cost

#### SEE OTHER TABLE STYLES IN THE COLLECTIONS SECTION








# PLANTERS, BIKE RACKS, <u>GRILLS,</u> ASH URNS, AND BOLLARDS





#### PLANTER 440


440-17X17S ALL STEEL PLANTER, 17" X 17" SHORT, 66 LBS.
440-17X32S ALL STEEL PLANTER, 17" X 32" SHORT, 99 LBS.
440-17X17T ALL STEEL PLANTER, 17" X 17" TALL, 93 LBS.
440-17X32T ALL STEEL PLANTER, 17" X 32" TALL, 141 LBS.
Only available in Textured Charcoal, Textured Grey, Textured Silver, Textured Black, and Textured Rust powder coat finishes





#### PLANTER 441

441-15X15S ALL STEEL PLANTER, 15" X 15" SHORT, 56 LBS.
441-15X30S ALL STEEL PLANTER, 15" X 30" SHORT, 94 LBS.
441-15X15T ALL STEEL PLANTER, 15" X 15" TALL, 86 LBS.
441-15X30T ALL STEEL PLANTER, 15" X 30" TALL, 135 LBS.
Only available in Textured Charcoal, Textured Grey, Textured Silver, Textured Black, and Textured Rust powder coat finishes





### PLANTERS



PLANTER 114 114-00 STEEL PLANTER, 108 LBS. Add to unit price for self watering liner insert

- Complements Receptacles 84 and 157
- Sturdy polyethylene liner






### PLANTER 159 159-00 STEEL PLANTER, 137 LBS. 159-00SH STEEL PLANTER W/OP-TIONAL STEEL SHIELD, 148 LBS.

Add to unit price for self watering liner option

- Shown w/optional shield
- Complements Receptacle 158
- Sturdy polyethylene liner





PLANTER 431 431-00 STEEL PLANTER, 86 LBS. Add to unit price for self watering liner option

- Complements Receptacle 429
- Sturdy polyethylene liner






PLANTER 184 184-00 STEEL PLANTER, 118 LBS. Add to unit price for self watering

liner insert

• Sturdy polyethylene liner




p. 20

ADDITIONAL STYLE IN THE COLLECTIONS SECTION






- **S-2** SURFACE PLATE, 34 LBS.
- **S-4** SUB FLOOR, 36 LBS.
- **3-4** SOB FLOOR, SO LBS.
- Mounting hardware included
   2" SCUL 40 Reward size
- 2" SCH. 40 Round pipe





BIKE RACK 291 Available in either powder coat finish 291-00 or hot dip galvanized 291-00HG S-1 EMBEDMENT, 30 LBS.


- S-2 SURFACE PLATE, 31 LBS.
- **S-4** SUB FLOOR, 30 LBS.
- 3-4 SUB FLOOR, SU LBS.
- Mounting hardware included
  2" SQ x 1/4" wall steel tube





### BIKE RACK 292 Available in either powder coat finish 292-00 or hot dip galvanized 292-00HG

- **S-1** EMBEDMENT, 33 LBS.
- S-2 SURFACE PLATE, 39 LBS.
- S-4 SUB FLOOR, 35 LBS.
- Mounting hardware included
- 2" SCH. 40 Round pipe



## BIKE RACK 293

## Available in either powder coat finish 293-00 or hot dip galvanized 293-00HG

- S-1 EMBEDMENT, 29 LBS.
- **S-2** SURFACE PLATE, 30 LBS.
- S-4 SUB FLOOR, 33 LBS.
- Mounting hardware included
- 2" SQ x 1/8" wall steel tube



Shown in Argento



### **BIKE RACKS**





BIKE RACK 125/130 Available in either powder coat finish or hot dip galvanized 125-20 2-7/8" O.D., HOLDS 5 BIKES, 97 LBS. 125-30 2-7/8" O.D., HOLDS 7 BIKES, 134 LBS. 125-40 2-7/8" O.D., HOLDS 9 BIKES, 170 LBS. Mounting Options: S-1 and S-2 • Mounting hardware included

130-20 2-3/8" O.D., HOLDS 5 BIKES, 62 LBS.
130-30 2-3/8" O.D., HOLDS 7 BIKES, 85 LBS.
130-40 2-3/8" O.D., HOLDS 9 BIKES, 107 LBS.



BIKE RACK 83 83-00G Galvanized Loop S-1 EMBEDMENT, 25 LBS. S-2 SURFACE PLATE, 32 LBS. S-4 SUB FLOOR, 28 LBS. 83-00 Powder Coated Loop S-1 EMBEDMENT, 31 LBS. S-2 SURFACE PLATE, 37 LBS. S-4 SUB FLOOR, 34 LBS. • Mounting hardware included





MOUNTING OPTIONS

### **BIKE RACKS**



BIKE RACK 199 199-00 SINGLE LOOP BIKE RACK, 24 LBS. Mounting Options: S-1 and S-2 • Mounting hardware included





BIKE RACK 466 466-60 STEEL BIKE RACK, 6 BIKES, 156 LBS. • Mounting hardware included



### **BIKE RACK 188**

**188-05** 41-1/4" LONG, 5 OPENINGS, 61 LBS.

 **188-07** 57-1/4" LONG, 7 OPENINGS, 70 LBS.

 **188-09** 73-1/4" LONG, 9 OPENINGS, 79 LBS.

 **188-11** 89-1/4" LONG, 11 OPENINGS, 89 LBS.


 Mounting Options: S-1 and S-2\*


- \* For support option S-2, additional cost
- Mounting hardware included



BIKE RACK 81/82 Single-Side Entry Bike Rack 81-50 5' LONG, 4 OPENINGS, 103 LBS. Dual-Side Entry Bike Rack 82-50 5' LONG, 8 OPENINGS, 118 LBS.

- Powder coated versions available, additional cost
- Mounting hardware included





 EMBEDMENT
 SURFACE MOUNT

 MOUNTING OPTIONS

81- single sided

82- double sided

110 DUMOR INC.




GRILL 21 & 22 21-00 EMBEDMENT, 83 LBS. 22-00 FREE STANDING, 105 LBS.



GRILL 24 24-00 EMBEDMENT, 242 LBS.



ASH URN 80 80-00 All-Steel Ash urn, 51 LBS.





ASH URN 423 423-00 ASH URN, 20 LBS. • Side mount design • Fits most tapered DuMor receptacles

### BOLLARDS



Shown in Black

### BOLLARD 400

400-36 36" HIGH 4" SCHEDULE 40 STEEL BOLLARD, 65 LBS.
400-42 42" HIGH 4" SCHEDULE 40 STEEL BOLLARD, 71 LBS.
Support Options: S-1, S-2, and S-1SL\*
\* For Bollards with support option S-1SL (ground sleeve supplied w/cap), additional cost and add 43 lbs. to weight.





Shown in Argento

### BOLLARD 402

**402-36** 36" HIGH 6" SQUARE STEEL BOLLARD, 114 LBS. **402-42** 42" HIGH 6" SQUARE STEEL BOLLARD, 124 LBS. Support Options: S-1, S-2, and S-1SL\* \* For Bollards with support option S-1SL (ground sleeve supplied w/cap), additional cost and add 43 lbs. to weight.



### BOLLARD 451

**451-36** 36" HIGH ROUND BOLLARD, 140 LBS. **451-42** 42" HIGH ROUND BOLLARD, 151 LBS. Support Options: S-1, S-2, and S-1X Secure w/8" pipe\* \* For Bollards with support option S-1X, additional cost and add 154 lbs. to weight.



MOUNTING OPTIONS


# CUSTOM PLAQUES



· DuMor mounts plaques so they are flush with seating surfaces

An attractive and enduring way to show sponsorship of a DuMor bench is with a dedication plaque. DuMor plaques are made of durable etched zinc with a bronze style finish. Zinc plaques are long lasting and offer versatility for etching detailed designs, crisp text, illustrations, and photo transfers. DuMor offers plaques in a wide range of sizes and shapes to meet specific needs. Most DuMor products can be fitted to display a dedication plaque; ask a DuMor Representative if your chosen product can accommodate a plaque to fit your specifications. Dedication plaques can be used in many ways including, remembrance of a loved one, company logo, town or city name, quotes, sports teams, school name, or family name. Given the versatility of DuMor dedication plaques on site furniture, many communities have had great success fully funding both benches and plaques with "Sponsor a Bench" programs which allow people to contribute to the community and place a message on a plaque.

Black and white camera-ready artwork is required for logos or special graphics. (Note: All requests are subject to our review and approval.)



# CUSTOM CURVED BENCHES

With decades of experience creating site specific curved and continuous benches, DuMor's custom product department can design benches to virtually any radius your space requires. Contact a DuMor Representative with your bench preference and dimensions, and we will design a custom bench for your approval.












# DUMOR CUSTOM PRODUCTS

In addition to our comprehensive selection of standard products, DuMor provides custom design and fabrication options to meet the needs of designers and architects whose requirements aren't always met by off-the-shelf site furnishings. Choose from a variety of high-quality raw materials including wood, steel, and recycled plastic, or customize with plaques and lettering options. DuMor's design flexibility makes creating a custom indoor or outdoor space easy and affordable. You'll see that DuMor's reputation for style and durability is reflected in every custom product. For more information on custom fabrication, please contact your local authorized DuMor Representative or call 800-598-4018.





















68-506-31-0**001** 

## DUMOR CUSTOM PRODUCTS











# SUSTAINABILITY COMMITMENT

### Our Commitment to Sustainability

DuMor recognizes the importance of using recycled material in our entire product line. This reduces solid waste volumes in landfills, helps conserve natural resources, and limits the environmental impacts resulting from the extraction of virgin materials.

### Pre- and Post-consumer Recycled Content

We utilize pre- and post-consumer recycled material in all of our products. Pre-consumer material is material diverted from the waste stream during the manufacturing process. Post-consumer material contains waste material generated by households or by commercial, industrial, and institutional facilities in their role as end-users of the product which can no longer be used for its intended purpose. Used milk jugs and old railroad tracks are examples of post-consumer materials used in our products. Please contact your local DuMor Representative for details on the pre- and post-consumer recycled content of our products.

### ► Eco-friendly Material Composition

Our product line is composed of three primary materials: steel, recycled plastic, and sustainably-harvested wood, all of which possess eco-friendly attributes.

**Thermally Modified Red Oak-** Thermally Modified Red Oak utilizes a specialized process where the wood is heated (using steam) to a very high temperature to transform it on a molecular level into a highly-durable outdoor material. Red Oak (Quercus rubra) is an abundant, mild to fast growing, sustainable hardwood harvested in North America. One of the most plentiful trees in the U.S., Red Oak accounts for 18% of the U.S. hardwood growing stock. Furthermore, the plentifulness of this species makes the replacement rate impressively low -- it takes 1.04 seconds for the U.S. forests to replace 1 cubic meter, that is faster than most other hardwoods including Maple, White Oak, Ash, and Cottonwood(Poplar) to name a few. Beyond abundance, Red Oak wood is notably a sustainable material due to the species' carbon sequestration potential. Over its growing life it is able to absorb an abundance of carbon removing human-caused emissions of the greenhouse gas carbon dioxide from the earth's atmosphere. When the wood is harvested and used the carbon is not released back into the atmosphere like it would have been if the tree were to rot.

**Sustainably-Harvested Wood-** We make it a priority to purchase only sustainably-harvested wood derived from stringently-regulated timber source locations, including: California, Oregon, Washington, British Columbia, and Pennsylvania.

**Steel-** The majority of steel in our products contains over 80 percent recycled material, most of which is postconsumer. Our primary supplier of steel utilizes the Electric Arc Furnace (EAF) technology, which takes advantage of post-consumer scrap material for major feedstock, unlike blast furnace operations which use mined iron ore as major feedstock.

**Recycled Plastic-** Many of our products feature the PolyTuf Plastic Lumber product. PolyTuf is manufactured using 100% recycled milk jugs (post-consumer high density polyethylene). We also donate our scrap plastic to the manufacturing of new PolyTuf product, further reducing waste stream volumes.

### Compatibility with LEED® Rating System

Leadership for Energy and Environmental Design (LEED) is the world's most well-recognized and sought-after green building rating system, created and administered by the United States Green Building Council (USGBC). Achieving LEED certification is contingent upon earning credits, which provide guidelines for the design and construction of high performance, durable, healthful, affordable, and environmentally-sound buildings. Many of our products could help design teams earn LEED credits. Please contact your local Representative to learn more about how DuMor's products can help your project achieve LEED certification.



### TERMS AND CONDITIONS

Prices are F.O.B. Mifflintown, PA, and are subject to change without notice. Terms are net 30 days from date of invoice to those customers with approved credit. All others, payment with order. Freight charges are as determined and collected by the carrier unless DuMor is instructed to prepay and add to the invoice for the merchandise. All products manufactured by DuMor, inc., are warrantied against defect in materials and/or workmanship and in accordance with our published specifications for a period of five years. In addition to our standard five-year warranty on all products, Dumor also offers a limited twentyyear warranty against structural failure of all steel bench frames or complete steel bench assemblies, table frames, litter receptacle frames, steel planters and all cast iron and aluminum bench supports; limited ten-year warranty against structural failure of recycled plastic. These warranties cover only those items which have been installed and properly maintained according to our detailed instructions. These warranties do not cover claims for items having been subjected to misuse, neglect, accident, or vandalism. Contact your local DuMor Representative for details of the extended warranty program. DuMor is not responsible for loss or damage of products in transit. Any shortages or damage should be noted on the freight bill before signing. In the interest of product improvement, DuMor reserves the right to alter product design, material selection, or construction without notice.

The following benches are protected by U.S. Patent D525- 809: Bench 164, 166 The following benches are protected by U.S. Patent D632-104: Bench 185, 194 The following benches are protected by U.S. Patent D629- 234: Bench 186, 195

MODEL PAGE		
11	Bench 65	
17	Receptacle15	
19	Bench	
21/22	Grill111	
24	Grill 111	
34	Bench	
35	Bench 67	
37	Bench 69	
39	Bench 68	
41	Receptacle79	
51	Bench	
56	Bench 65	
57	Bench 22	
58	Bench 18	
59	Bench 58	
70	Receptacle 80	
71	Table103	
72	Table103	
75	Table 102	
76	Table	
77	Table103	
78	Game Table	
80	Ash Urn 111	
81/82	Bike Rack 110	
83	Bike Rack 109	
84	Receptacle 72	
87	Receptacle 74	
88	Bench 64	
89	Receptacle 59	
91 92	Bench 23 Bench 19	
92 93	Bench 12	
93 94	Bench 14	
94 95	Bench 13	
100	Table 102	
100	Table	
102	Receptacle 19	
103	Bench 64	
104	Bench	
105	Bench 65	
106	Bench 21	
107	Receptacle 74	
114	Planter	
117	Bench 16	
118	Bench 17	
119	Bench 30	
120	Bench 31	
122	Planter 20	
124	Receptacle23	
125	Bike Rack 109	
130	Bike Rack 109	
131	Bench 67	
138	Bench 66	
139	Bench 66	

### NUMERICAL INDEX

MODEI	LPAGE	
140	Bench26	
143	Bench24	
144	Bench 27	
148	Receptacle	
152	Receptacle	
156	Table	
157	Receptacle73	
158	Receptacle	
159	Planter 107	
160	Bench	
162	Bench	
163	Bench 69	
164	Bench	
165	Bench 38	
166	Bench 39	
168	Bench	
170	Receptacle	
170	Bench	
182	Receptacle	
184	Planter	
185	Bench	
186	Bench	
187	Receptacle	
188	Bike Rack 110	
190	Bike Rack	
190 191	Bench	
194	Bench	
194 195	Bench	
195	Receptacle	
190	Bike Rack 110	
	0 Series 81	
200/30	Bench 50	
271	Bench	
272	Receptacle 51	
282	Bench 33	
283	Bench 33	
284	Bench 35	
285	Bench 35	
286	Receptacle	
287	Receptacle	
290	Bike Rack 108	
290	Bike Rack 108	
292	Bike Rack 108	
293	Bike Rack 108	
294	Table	
295	Table	
296	Table	
297	Table	
298	Table	
298 299	Table	
	2 Bollards 112	
400-40. 423	Ash Urn111	
423 429	Receptacle	
429 431	Planter	
.01	107	

MODEL	PAGE	
432	Receptacle75	
434	Receptacle	
435	Receptacle	
436	Receptacle	
437	Receptacle	
438	Receptacle	
440	Planter	
441	Planter	
443	Table	
446	Bench	
447	Bench	
448	Table	
451	Bollard 112	
463	Table	
464	Table	
466	Bike Rack 110	
470	Bench	
471	Bench	
472	Bench	
473	Bench	
474	Receptacle	
475	Table	
481	Chair	
482	Table	
483	Chair	
484	Table	
485	Table	
490	Bench	
491	Bench7	
492	Bench7	
493	Bench8	
494	Bench9	
495	Bench9	
496	Bench 10	
497	Bench 11	
498	Bench 11	
	Bench	
500	Bench	
502	Receptacle	
502 505	Bench	
505 506	Bench	
507	Bench	
510		
510	Chair	
512	Lounge Chair86	
512	Bench	
513	Table	
514		
515 516	Table	
520-528 Bench60-61 Custom Curved Benches 114-115		
Custom Fabrication 116-119		
	Plaques 116-119	
	s/Color1	

### YOUR DUMOR CONSULTANT IS:



DuMor, Inc. Mifflintown, PA 17059-0142

#### DUMOR.COM

Phone: 717-436-2106 Toll-Free: 800-598-4018 Fax: 717-436-9839 sales@dumor.com